

## **Eviatar Nevo**

Institute of Evolution, University of Haifa, Mt. Carmel, Haifa 3498838, Israel.

Tel: 04-8240448; e-mail: [nevo@research.haifa.ac.il](mailto:nevo@research.haifa.ac.il)

Publications on:

### **Genetic Evolution of Wild Cereals and Crop Improvement**

(Figures in parenthesis refer to Professor E. Nevo's complete list of publication)

#### **1977**

1. (76). Brown, A., E. Nevo and D. Zohary. 1977. Association of alleles at esterase loci in wild barley *Hordeum spontaneum* L. Nature 268:430-431.

#### **1978**

2. (77). Nevo, E. 1978. Genetic variation in natural populations: patterns and theory. Theor. Pop. Biol. 13:121-177.
3. (79). Brown, A.H.D., D. Zohary and E. Nevo. 1978. Outcrossing rates and heterozygosity in natural populations of *Hordeum spontaneum* Koch in Israel. Heredity 41:49-62.
4. (80). Brown, A.H.D., D. Zohary and E. Nevo. 1978. Genetic structure of *Hordeum spontaneum* in Israel. Barley Genetics Newsletter.
5. (81). Brown, A.H.D., E. Nevo, D. Zohary and O. Dagan. 1978. Genetic variation in natural populations of wild barley (*Hordeum spontaneum*). Genetica 49:97-108.

#### **1979**

6. (90). Nevo, E., A.H D. Brown and D. Zohary. 1979. Genetic diversity in the wild progenitor of barley in Israel. Experientia 35:1027-1029.
7. (91). Nevo, E., D. Zohary, A.H.D. Brown and M. Haber. 1979. Genetic diversity and environmental associations of wild barley, *Hordeum spontaneum*, in Israel. Evolution 33:815-833.

#### **1980**

8. (98). Kahler, A. L., R. W. Allard, M. Krzakowa, C. R. Wehrhahn and E. Nevo. 1980. Associations between isozyme phenotypes and environment in the slender wild oat (*Avena barbata*) in Israel. Theor. Appl. Genet. 56:31-47.
9. (102). Brown, A. H. D., M. W. Feldman and E. Nevo. 1980. Multilocus structure of natural populations of *Hordeum spontaneum*. Genetics 96:523-536.

#### **1981**

10. (105). Nevo, E., A.H.D. Brown, D. Zohary, N. Storch and A. Beiles. 1981. Microgeographic edaphic differentiation in allozyme polymorphisms of wild barley (*Hordeum spontaneum*, Poaceae) Pl. Syst. Evol. 138:287-292.

#### **1982**

11. (113). Nevo, E., E. Golenberg, A. Beiles, A.H.D. Brown and D. Zohary. 1982. Genetic diversity and environmental associations of wild wheat, *Triticum dicoccoides*, in Israel. Theor. Appl. Genet. 62:241-254.

12. (124). Nevo, E. 1982. Utilization of wild material for wheat improvement. *Plant Genet. Res. Newsletter Bull.-FAO* 51:11.

### 1983

13. (128). Nevo, E., A. Beiles, N. Storch, H. Doll and B. Andersen. 1983. Microgeographic edaphic differentiation in hordein polymorphisms of wild barley. *Theor. Appl. Genet.* 64:123-132.
14. (130). Nevo, E. 1983. Adaptive significance of protein variation. In: *Systematic Association; Special Vol. 24, Protein Polymorphism: Adaptive and Taxonomic Significance*. G.S. Oxford and D. Rollinson (eds.). Academic Press, New York, pp. 239-282.
15. (136). El-Morshidy, M.A., J.G. Moseman, E. Nevo, Z.K. Gerechter-Amitai and D. Zohary. 1983. *Triticum dicoccoides* a source of resistance of powdery mildew and leaf rust diseases. In: *Agronomy Abstracts*, 1983 Ann. Meet. American Soc. of Agronomy, Crop Science Society of America, and the Soil Science Society of America, 14-19 August, 1983, Washington D.C. p. 62.
16. (137). Moseman, J.G., M. A. El-Morshidy, I. Wahl, E. Nevo, J.R. Tomerlin and D. Zohary. 1983. *Hordeum spontaneum* resistant to leaf rust, powdery mildew, scald and net blotch. In: *Agronomy Abstracts*, 1983 Ann. Meet. of the American Soc. of Agronomy, Crop Science Society of America, and the Soil Science Society of America, 14-19 August, 1983, Washington D.C., p.74
17. (139). Moseman, J.G., E. Nevo and D. Zohary. 1983. Resistance of *Hordeum spontaneum* collected in Israel to infection with *Erysiphe graminis hordei*. *Crop Science* 23:1115-1119.
18. (141). Nevo, E. 1983. Genetic resources of wild emmer wheat: structure, evolution and application in breeding. In: *Proceedings of the 6th Intl. Wheat Genetics Symposium* (December, 1983). S. Sakamoto (ed.). Kyoto University, Kyoto, Japan, pp. 421-431.

### 1984

19. (143). Nevo, E., A. Beiles and R. Ben-Shlomo. 1984. The evolutionary significance of genetic diversity: ecological, demographic and life history correlates. In: *Lecture Notes in Biomathematics*, S. Levin (mang. ed.), Vol. 53: "Evolutionary Dynamics of Genetic Diversity," G.S. Mani (ed.), Springer-Verlag, Berlin, Heidelberg, pp. 13-213.
20. (148). Nevo, E., J.G. Moseman, A. Beiles and D. Zohary. 1984. Correlation of ecological factors and allozymic variations with resistance to *Erysiphe graminis hordei* in *Hordeum spontaneum* in Israel: patterns and application. *Plant Syst. Evol.* 145:79-96.
21. (155). Moseman, J.G., E. Nevo, M.A. El Morshidy and D. Zohary. 1984. Resistance of *Triticum dicoccoides* to infection with *Erysiphe graminis tritici*. *Euphytica* 33:41-47.
22. (157). Nevo, E., A. Beiles, Y. Gutterman, N. Storch and D. Kaplan. 1984. Genetic resources of wild cereals in Israel and vicinity: I. Phenotypic variation within and between populations of wild wheat, *Triticum dicoccoides*. *Euphytica* 33:717-735.
23. (158). Nevo, E., A. Beiles, Y. Gutterman, N. Storch and D. Kaplan. 1984. Genetic resources of wild cereals in Israel and vicinity: II. Phenotypic variation within and between populations of wild barley, *Hordeum spontaneum*. *Euphytica*. 33:737-756.

### 1985

24. (161). Moseman, J.G., E. Nevo and Z.K. Gerechter-Amitai, M.A. El-Morshidy and D. Zohary. 1985. Resistance of *Triticum dicoccoides* collected in Israel to infection with *Puccinia recondita tritici*. *Crop Sci.* 25:262-265.
25. (175). Nevo, E., J.G. Moseman, A. Beiles and D. Zohary. 1985. Patterns of resistance of Israeli wild emmer wheat to pathogens. I. Predictive method by ecology and allozyme genotypes for powdery mildew and leaf rust. *Genetica* 67:209-222.
26. (176). Nevo, E., D. Atsmon and A. Beiles. 1985. Protein resources in wild barley, *Hordeum spontaneum*, in Israel: predictive method by ecology and allozyme markers. *Pl. Syst. Evol.* 150:205-222.

### **1986**

27. (182). Nevo, E., A. Grama, A. Beiles and E.M. Golenberg. 1986. Resources of high-protein genotypes in wild wheat, *Triticum dicoccoides* in Israel: predictive method by ecology and allozyme markers. *Genetica* 68:215-227.
28. (183). Nevo, E., A. Beiles, D. Kaplan, N. Storch and D. Zohary. 1986. Genetic diversity and environmental associations of wild barley, *Hordeum spontaneum* (Poaceae), in Iran. *Pl. Syst. Evol.* 153:141-164.
29. (184). Nevo, E., D. Zohary, A. Beiles, D. Kaplan and N. Storch. 1986. Genetic diversity and environmental associations of wild barley, *Hordeum spontaneum*, in Turkey. *Genetica* 68:203-213.
30. (185). Nevo, E., A. Beiles and D. Zohary. 1986. Genetic resources of wild barley in the Near East: structure, evolution and application in breeding. *Biol. J. Linn. Soc.* 27:355-380.
31. (186). Flavell, R.B., M. O'Dell, P. Sharp, E. Nevo and A. Beiles. 1986. Variation in the intergenic spacer of ribosomal DNA of wild wheat, *Triticum dicoccoides* in Israel. *Mol. Biol. Evol.* 3:547-558.
32. (189). Nevo, E., A. Beiles, D. Kaplan, E.M. Golenberg, L. Olsvig-Whittaker and Z. Naveh. 1986. Natural selection of allozyme polymorphisms: a microsite test revealing ecological genetic differentiation in wild barley. *Evolution* 40:13-20.
33. (203). Nevo, E., Z. Gerechter-Amitai, A. Beiles and E.M. Golenberg. 1986. Resistance of wild wheat to stripe rust: predictive method by ecology and allozyme genotypes. *Pl. Syst. Evol.* 153:13-30.

### **1987**

34. (217). Nevo, E. 1987. Genetic resources of wild cereals and crop improvement: Israel, a natural laboratory. *Isr. J. Bot.* 35:255-278. 1986.
35. (218). Nevo, E. 1987. Plant genetic resources: prediction by isozyme markers and ecology. In: *Isozymes: Current Topics in Biological Research*, M.C. Rattazi, J.G. Scandalios and G.S. Whitt (eds). Volume 16: Agriculture, Physiology and Medicine, pp. 247-267.
36. (219). Golenberg, E.M. and E. Nevo. 1987. Multilocus differentiation and population structure in a selfer, wild emmer wheat, *Triticum dicoccoides*. *Heredity* 58:451-456.
37. (228). Nevo, E. and P. I. Payne. 1987. Wheat storage proteins: diversity of HMW glutenin subunits in wild emmer from Israel. I. Geographical patterns and ecological predictability. *Theor. Appl. Genet.* 74:827-836.

### **1988**

38. (230). Nevo, E., A. Beiles and T. Krugman. 1988. Natural selection of allozyme polymorphisms: a microgeographic climatic differentiation in wild emmer wheat, *Triticum dicoccoides*. *Theor. Appl. Genet.* 75:529-538.
39. (240). Nevo, E., A. Beiles and D. Kaplan. 1988. Genetic diversity and environmental associations of wild emmer wheat, in Turkey, *Heredity* 61:31-45.
40. (247). Nevo, E. and A. Beiles. 1988. Genetic parallelism of protein polymorphism in nature: ecological test of the neutral theory of molecular evolution. *Biol. J. Linn. Soc.* 35:229-245.
41. (248). Nevo, E., A. Beiles and T. Krugman. 1988. Natural selection of allozyme polymorphisms: a microgeographic differentiation by edaphic, topographical and temporal factors in wild emmer wheat *Triticum dicoccoides*. *Theor. Appl. Genet.* 76:737-752.

### 1989

42. (256). Nevo, E. and A. Beiles. 1989. Genetic diversity of wild emmer wheat in Israel and Turkey: structure, evolution and application in breeding. *Theor. Appl. Genet.* 77:421-455.
43. (259). Nevo, E. 1988. Genetic resources of wild emmer wheat revisited: genetic evolution, conservation and utilization. In: *Proceedings Seventh Int. Wheat Genetics Symp*, T.E. Miller and R.M.D. Koebner (eds.), Inst. of Plant Science Research, Cambridge, pp. 121-126.
44. (276). Corke, H., E. Nevo and D. Atsmon. 1989. Variation in vegetative parameters related to the nitrogen economy of wild barley, *Hordeum spontaneum* in Israel, *Euphytica* 39:227-232.

### 1990

45. (285). Carver, B. F. and E. Nevo. 1990. Genetic diversity of photosynthetic characters in native populations of *Triticum dicoccoides*. *Photosyn. Res.* 25:119-128.
46. (286). Nevo, E. 1990. Evolution and population ecological genetics of wild barley, *Hordeum spontaneum*, in the Fertile Crescent. (), The Volcani Center, Bet Dagan, Israel; 26-27 Feb. 1990. *Phytoparasitica* (18) 3: 252
47. (291). Moseman, J.G., E. Nevo, M.A. El-Morshidy. 1990. Reactions of *Hordeum spontaneum* to infection with 2 cultures of *Puccinia hordei* from Israel and the United States. *Euphytica* 49:169-175.
48. (293). Nevo, E. 1990. Adaptive genetic diversity in wild emmer wheat at the protein and DNA levels: Nov. 13th-18th, 1988. (Abstract) No. 602.
49. (294). Yarom, R. and E. Nevo. 1990. DNA Restriction fragment length polymorphism (RFLP) analysis of wild emmer *Triticum dicoccoides* in the Adh-2 gene. 2nd Int. Cong. Plant Mol. Biol. Jerusalem, Nov. 13th-18th, 1988. (Abstract) No. 618.
50. (295). Forster, B.P., C.N. Law, E. Nevo and W. Powell. 1990. Genetic strategies for improving the salt tolerance of wheat and barley. In: *Proceedings of the Intern. Symp. on Molecular and Genetic Approaches to Plant Stress*. 14-17 February, 1990. New Delhi, India. pp.T31.1-3.

### 1991

51. (305). Snape, J.W., E. Nevo, B.B. Parker, D. Leckie and A. Morgunov. 1991. Herbicide response polymorphism in wild populations of emmer wheat. *Heredity* 66:251-257.

52. (309). Nevo, E., B.F. Carver and A. Beiles. 1991. Photosynthetic performance in wild emmer wheat, *Triticum dicoccoides*: ecological and genetic predictability. *Theor. Appl. Genet.* 81:445-460.
53. (310). Nevo, E., Z. Gerechter-Amitai and A. Beiles. 1991. Resistance of wild emmer wheat to stem rust: Ecological, pathological and allozyme associations. *Euphytica* 53:121-130.
54. (324). Ellis, R.P., B.P. Forster, W.T.B. Thomas and E. Nevo. 1991. The use of *Hordeum spontaneum* Koch in barley improvement. 6th Intern. Barley Genetics Symp. July, 22-27, 1991, Helsingborg, Sweden. *Barley Genetics* 6:65-67.
55. (328). Snape, J.W., D. Leckie, B.B. Parker and E. Nevo. 1991. The genetical analysis and exploitation of differential responses to herbicides in crop species. In: *Herbicide Resistance in Weeds and Crops*, J.C. Casley, G W. Cussans and R.K. Atkin (eds.). Butterworth-Heinemann, Oxford. pp. 305- 317.
56. (332) Jana, S. and E. Nevo. 1991. Variation in response to infection with *Erysiphe graminis hordei* and *Puccinia hordei* in some wild barley populations in a centre of diversity. *Euphytica* 57:133-140.

## 1992

57. (334). Hunger, R.M., J.L. Sherwood, R.E. Pennington, B.F. Carver and E. Nevo. 1992. Reaction of native populations of *Triticum dicoccoides* to wheat soilborne mosaic. In: *Biological & Cultural Tests for Control of Plant Diseases*. Vol. 7. APS Press.
58. (335). Nevo, E. 1992. Origin, evolution, population genetics and resources for breeding of wild barley, *Hordeum spontaneum*, in the Fertile Crescent. In: *Barley: Genetics, Molecular Biology and Biotechnology*, Shewry, P. (ed.) C.A.B. International. pp. 19-43.
59. (339). Nevo, E., Gorham, J. and A. Beiles. 1992. Variation for <sup>22</sup>Na uptake in wild emmer wheat, *Triticum dicoccoides* in Israel: salt tolerance resources for wheat improvement. *J. Exp. Bot.* 43:511-518.
60. (345). Nevo, E. and A. Beiles. 1992. Amino-acid resources in the wild progenitor of wheats, *Triticum dicoccoides* in Israel: polymorphisms and predictability by ecology and isozymes. *Plant Breeding* 108:190-201.
61. (347). Chalmers, K.J., R. Waugh, J. Waters, B.P. Forster, E. Nevo and W. Powell. 1992. Grain isozyme and ribosomal DNA variability in *Hordeum spontaneum* populations from Israel. *Theor. Appl. Genet.* 84:313-322.
62. (348). Nevo, E., J.W. Snape, B. Lavie and A. Beiles. 1992. Herbicide response polymorphisms in wild emmer wheat: ecological and isozyme correlations. *Theor. Appl. Genet.* 84:209-216.
63. (349). Olsvig-Whittaker, L.S., Z. Naveh, M. Giskin and E. Nevo. 1992. Microsite differentiation in a mediterranean oak savannah. *J. Veget. Sci.* 3:209-216.
64. (352). Nevo, E., I. Noy-Meir, A. Beiles, T. Krugman and M. Agami. 1992. Natural selection of allozyme polymorphisms: A micro-geographical spatial and temporal ecological differentiations in wild emmer wheat. *Isr. J. Botany* 40:419-449 (1991).
65. (353). Nevo, E. 1992. Genetic diversity in nature: Patterns and theory. (Abstract). Intern. Workshop on Dynamic *in situ* conservation of wild relatives of major cultivated plants; April 1990. *Isr. J. Bot.* 40:512 (1991).

66. (355). Nevo, E., A. Ordentlich, A. Beiles and I. Raskin. 1992. Genetic divergence of heat production within and between the wild progenitors of wheat and barley: Evolutionary and agronomical implications. *Theor. Appl. Genet.* 84:958-962.

### 1993

67. (366). Nevo, E., K. Nishikawa, Y. Furuta, Y. Gonokami and A. Beiles. 1993. Genetic polymorphisms of alpha- and beta- amylase isozymes in wild emmer wheat, *Triticum dicoccoides*, in Israel. *Theor. Appl. Genet.* 85:1029-1042.
68. (381). Nevo, E., T. Krugman and A. Beiles. 1993. Genetic resources for salt tolerance in the wild progenitors of wheat (*Triticum dicoccoides*) and barley (*Hordeum spontaneum*) in Israel. *Plant Breeding.* 110:338-341.
69. (383). Kawahara, T., E. Nevo and A. Beiles. 1993. Frequencies of translocations in Israeli populations of *Triticum dicoccoides* Korn. (Abstract). XV Intern. Botanical Cong., August 28 - September 3, 1993. Yokohama, Japan. 8020.
70. (384). Kawahara, T., T. Yamada, E. Nevo and D. Zohary. 1993. Collection of wild relatives of wheats in Israel. (Abstract). *Japanese J. of Breeding, Suppl.* 1, 1993.
71. (385). Yamada, T., T. Kawahara and E. Nevo. 1993. Allozyme diversity of diploid *Aegilops* species in Israel. (Abstract). *Japanese J. of Breeding, Suppl.* 1, 1993.
72. (387). Nevo, E., H. Meyer and B. Piechulla. 1993. Diurnal rhythms of the chlorophyll a/b binding protein mRNAs in wild emmer wheat and wild barley (Poaceae) in the Fertile Crescent. *Plant Syst. Evol.* 185:181-188.
73. (390). Nevo, E. 1993. Genetic resources of wild emmer, *Triticum dicoccoides* for wheat improvement: News and Views. (Abstract). 8th Intern. Wheat Genet. Symp., 20-25th July, 1993, China Agricultural Sciencetech Press, Beijing. p.3.
74. (391). Ellis, R.P., E. Nevo and A. Beiles. 1993. Milling energy polymorphism in *Hordeum spontaneum* Koch in Israel, and its potential utilization in breeding for malting quality. *Plant Breeding* 111:78-81.
75. (392). Ellis, R.P., W.T.B. Thomas, B.P. Forster, M. Macaulay and E. Nevo. 1993. The use of *Hordeum spontaneum* Koch in barley improvement. Scottish Crop Research Institute, Annual Report 1992:20-23.
76. (395). Nevo, E. 1995. Genetic resources of wild emmer, *Triticum dicoccoides* for wheat improvement: News and Views. 8<sup>th</sup> Intern. Wheat Genet. Symp., 20-25 July, 1993, Beijing. Proc. Symp. pp. 79-87. (published in 1995).
77. (396). The, T.T., E. Nevo and R.A. McIntosh. 1993. Responses of Israeli wild emmers to selected Australian pathotypes of *Puccinia* species. *Euphytica* 71:75-81.
78. (398). Yamada, T., T. Kawahara and E. Nevo. 1993. Clinal changes of allozyme diversity and outcrossing rate along the environmental gradient among populations of *Aegilops longissima* in Israel. (Abstract in Japanese). Intern. Botanical Cong., June 1993, Kyoto, Japan.

### 1994

79. (399). Krugman T., B. Rubin, O. Levy, J.W. Snape and E. Nevo. 1994. RFLP mapping of chlortoluron resistance gene (*Su1*) in cultivated wheat *Triticum aestivum* and in wild wheat *Triticum dicoccoides*. (Abstract). 13th Conf. Weed Science Soc. of Israel, January 24-25, 1994. *Phytoparasitica*.

80. (400). Nevo, E., T. Krugman and A. Beiles. 1994. Edaphic natural selection of allozyme polymorphisms in *Aegilops peregrina* at a Galilee microsite in Israel. *Heredity* 72:109-112.
81. (406). Forster, B.P., L.L. Handley, H. Pakniyat, C.B. Scrimgeour, E. Nevo and J. Raven. 1994. Genetic and ecological factors controlling carbon isotope discrimination in barley. *Aspects of Appl. Biol.* 38:139-143.
82. (412). Pavlicek, T., E. Nevo and W.D. Hamilton. 1994. Genetic variability in cowpea, *Vigna unguiculata* in Amazonia. (Abstract). *Isozyme Bull.* 27:57.
83. (413). Nevo, E. 1994. Evolutionary significance of genetic diversity in nature: Environmental stress, pattern and theory. In: *Isozymes: Organization and Roles in Evolution, Genetics and Physiology*. C.L. Markert, J.G. Scandalios, H.A. Lim and O.L. Serov (eds.). World Scientific, New Jersey. pp. 267-296. (7th Intern. Cong. on Isozymes, 6-13.9.1992, Novosibirsk, Russia).
84. (415). Gutterman, Y. and E. Nevo. 1994. Germination comparison study of *Hordeum spontaneum* regionally and locally in Israel: a population in the Negev Desert Highlands and from two opposing slopes on Mediterranean Mount Carmel. *Barley Newslet* Vol. 22:18-19.
85. (416). Lavie, B., V. Stow, T. Krugman, A. Beiles and E. Nevo. 1993. Fitness in wild barley from two opposing slopes of a Mediterranean microsite at Mount Carmel, Israel. *Barley Genetics Newsletter*, 23:12-14.
86. (417). Handley, L.L., E. Nevo, J.A. Raven, R. Martinez-Carrasco, C.M. Scrimgeour, H. Pakniyat and B.P. Forster. 1994. Chromosome 4 controls potential water use efficiency ( $\delta^{13}C$ ) in barley. *J. Exp. Bot.* 45:1661-1663.
87. (418). Gutterman, Y. and E. Nevo. 1994. Temperatures and ecological-genetic differentiation affecting the germination of *Hordeum spontaneum* caryopses harvested from three populations: the Negev Desert and opposing slopes on Mediterranean Mount Carmel. *Isr. J. Plant Sci.* 42:183-195.

### 1995

88. (435). Fahima, T., A. Grama, A.B. Korol, T. Turpeinen and E. Nevo. 1995. Identification of DNA markers linked to novel yellow rust resistance genes introgressed from *Triticum dicoccoides* (Abstract). *Annual Wheat Newsletter* 41:125.
89. (436). Krugman, T., B. Rubin, O. Levi, J.W. Snape and E. Nevo. 1995. RFLP mapping of chlortoluron resistance gene, *Su1*, in bread wheat *Triticum aestivum* and the wild wheat *Triticum dicoccoides*. (Abstract). *Annual Wheat Newsletter* 41:125.
90. (437). Porceddu, E., M.A. Pagnotta, A. Beiles and E. Nevo. 1995. Variation for RFLP and PCR markers among and within populations of *Triticum dicoccoides* (Abstract). Raatikainen, M. (ed.). *Adaptation in Plant Breeding*. XIV Eucarpia Cong. 31.7-4.8.95. Jyväskylä, Finland. p. 112.
91. (439). Pagnotta, M.A., E. Nevo, A. Beiles and E. Porceddu. 1995. Wheat storage proteins: glutenin diversity in wild emmer, *Triticum dicoccoides*, in Israel and Turkey. 2. DNA diversity detected by PCR. *Theor. Appl. Genet.* 91:409-414.
92. (440). Nevo, E., M.A. Pagnotta, A. Beiles and E. Porceddu. 1995. Wheat storage proteins: glutenin DNA diversity in wild emmer wheat, *Triticum dicoccoides*, in Israel and Turkey. 3. Environmental correlates and allozymic associations. *Theor. Appl. Genet.* 91:415-420.

93. (449). Joppa, L.R., E. Nevo and A. Beiles. 1995. Chromosome translocations in wild populations of tetraploid emmer wheat in Israel and Turkey. *Theor. Appl. Genet.* 91:713-719.
94. (452). Rottenberg, A., D. Zohary and E. Nevo. 1995. Isozymic relationships between cultivated artichoke and the wild relatives. *Genet. Resour. Crop Evol.* 43:59-62.

### 1996

95. (466). Levy, O., Y. Benyamini, B. Rubin, T. Krugman and E. Nevo. 1996. Chlorotoluron resistance identification and genetic analysis in wild emmer wheat (*Triticum dicoccoides*). Proceedings 2<sup>nd</sup> Intern. Weed Control Cong., Copenhagen, Denmark, 25-28.6.1996. pp. 523-528.
96. (480). Kawahara, T., E. Nevo, T. Yamada and D. Zohary. 1996. III. Genetic stock: Collection of wild *Aegilops* species in Israel. *Wheat Inform. Service* 82:36-45.
97. (493). Krugman, T., B. Rubin, O. Levy, J.W. Snape and E. Nevo. 1996. RFLP mapping of chlortoluron resistance gene *SU1* in bread wheat (*Triticum aestivum*) and wild wheat (*Triticum dicoccoides*). Proc. Intern. Symp. of Weed and Crop Resistance to Herbicides. April 1995, Cordoba, Spain. University of Cordoba. pp. 162-164.
98. (494). Kawahara, T. and E. Nevo. 1996. Screening of spontaneous major translocations in Israeli populations of *Triticum dicoccoides* Koern. *Wheat Information Service* 83:28-30.
99. (495). Crosatti, C., E. Nevo, A.M. Stanca and L. Cattivelli. 1996. Genetic analysis of the COR14 proteins accumulation in wild (*Hordeum vulgare* L. subsp. *spontaneum*) and cultivated (*Hordeum vulgare*) barley. *Theor. Appl. Genet.* 93:957-981.

### 1997

100. (510). Forster, B.P., H. Pakniyat, R.P. Ellis, L.L. Handley, D.C. Gordon, R. Keith, W. Powell and E. Nevo. 1997. Strategies for locating genes for salt tolerance in barley: Maps, marker and wild species. (Abstract). 5th Intern. Conf. Plant and Animal Genome, San Diego, CA. 12-16 January 1997. W1. p. 25.
101. (511). Handley, L.L., D.R. Robinson, B.P. Forster, R.P. Ellis, C.M. Scrimgeour, D.C. Gordon, E. Nevo and J.A. Raven. 1997. Shoot delta15 N correlates with genotype and salt stress in barley. *Planta* 201:100-102.
102. (512). Krugman, T., O. Levy, J.W. Snape, B. Rubin, A.B. Korol and E. Nevo. 1997. Comparative RFLP Mapping of the chlorotoluron resistance gene (*Su1*) in cultivated wheat (*Triticum aestivum*) and wild wheat (*Triticum dicoccoides*). *Theor. Appl. Genet.* 94:46-51.
103. (514). Baum, B.R., E. Nevo, D.A. Johnson and A. Beiles. 1997. Genetic diversity in wild barley (*Hordeum spontaneum* Koch) in the Near East: A molecular analysis using random amplified polymorphic DNA (RAPD). *Genet. Resour. Crop Evol.* 44:147-157.
104. (518). Nevo, E., I. Apelbaum-Elkaher, J. Garty and A. Beiles. 1997. Natural selection causes microscale allozyme diversity in wild barley and a lichen at "Evolution Canyon" Mt. Carmel, Israel. *Heredity* 78:373-382.
105. (527). Nevo, E. 1997. Genetic resources of *Hordeum spontaneum* for barley improvement. (Abstract). Intern. Conf. Plant & Animal Genome Research. 12-16 January, 1997. San Diego. p. 30.



106. (528). Ronin, Y.I., A.B. Korol and E. Nevo. 1997. An approximated method for analysis of QTL-environment interaction. (Abstract). Intern. Conf. Plant & Animal Genome Research. 12-16 January, 1997. San Diego. p. 152.
107. (529). Fahima, T., G. Sun, V. Chague, A.B. Korol, A. Grama, Y.I. Ronin and E. Nevo. 1997. Identification of molecular markers linked to the *YR-15* stripe rust resistance gene of wheat introgressed from wild emmer wheat, *Triticum dicoccoides*. (Abstract). Int. Conf. Plant & Animal Genome Research. 12-16 January, 1997. San Diego. p. 93.
108. (531). Owuor, E.D., T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1997. Adaptive DNA genetic divergence in wild barley, *Hordeum spontaneum* caused by microclimatic differential stress at "Evolution Canyon", Lower Nahal Oren, Mt. Carmel, Israel. (Abstract). 9th Intern. Cong. on Genes, Gene Families and Isozymes. 14-19 April, 1997. San Antonio, Texas. #214.
109. (536). Owuor, E.D., T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1997. DNA-RAPD diversity caused by microclimatic ecological stress in wild barley, *Hordeum spontaneum* at "Evolution Canyon", Lower Nahal Oren, Mount Carmel, Haifa. (Abstract in Hebrew). Ann. Meet. Isr. Soc. of Ecology and Environmental Quality. 16-17 June 1997, University of Haifa. p. 14.
110. (540). Pakniyat, H., W. Powell, E. Baird, L.L. Handley, D. Robinson, C.M. Scrimgeour, E. Nevo, C.A. Hackett, P.D.S. Caligari and B.P. Forster. 1997. AFLP variation in wild barley (*Hordeum spontaneum* C. Koch) with reference to salt tolerance and associated ecogeography. *Genome* 40:332-341
111. (541). Fahima, T., M.S. Röder, A. Grama and E. Nevo. 1997. Microsatellite DNA polymorphism divergence in *Triticum dicoccoides* accessions highly resistant to yellow rust. (Abstract). Intern. Triticeae Mapping Initiative Workshop, 25-27 June 1997, Clermont-Ferrand, France.
112. (542). Fahima, T., G.L. Sun, V. Chague, A.B. Korol, A. Grama, Y.I. Ronin and E. Nevo. 1997. Use of the near isogenic lines approach to identify molecular markers linked to the *Yr15* stripe rust resistance gene of wheat (Abstract). *Isr. J. Plant Sci.* p. 262.
113. (543). Fahima, T., V. Chague, G. Sun, A.B. Korol, Y.I. Ronin, A. Grama and E. Nevo. 1997. Identification and potential use of PCR markers flanking the *Triticum dicoccoides*-derived stripe rust resistance gene *Yr15* in wheat. (Abstract). 5<sup>th</sup> Intern. Cong. of Pl. Mol. Biol., 21-27 September, 1997. Singapore.
114. (544). Sun, G.L., T. Fahima, A.B. Korol, T. Turpeinen, A. Grama, Y.I. Ronin and E. Nevo. 1997. Identification of molecular markers linked to the *Yr15* stripe rust resistance gene of wheat originated in wild emmer wheat, *Triticum dicoccoides*. *Theor. Appl. Genet.* 95:622-628.
115. (546). Kato, K., Y. Mori, A. Beiles and E. Nevo. 1997. Geographical variation in heading traits in wild emmer wheat, *Triticum dicoccoides*. I. Variation in vernalization response and ecological differentiation. *Theor. Appl. Genet.* 95:546-552.
116. (547). Handley, L.L., D.R. Robinson, C.M. Scrimgeour, D. Gordon, B.P. Forster, R.P. Ellis and E. Nevo. 1997. Correlating molecular markers with physiological expression in *Hordeum*, a developing approach using stable isotopes. *New Phytologist* 137:159-163.
117. (548). Forster, B.P., J.R. Russell, R.P. Ellis, L.L. Handley, D. Robinson, C.A. Hackett, E. Nevo, R. Waugh, D.C. Gordon, R. Keith and W. Powell. 1997. Locating genotypes and genes for abiotic stress tolerance in barley: a strategy using maps, markers and the wild species. *New Phytologist* 137:141-147.

118. (552). Owuor, E.D., T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1997. Population genetics response to microsite ecological stress in wild barley *Hordeum spontaneum*. Mol. Ecol. 6:1177-1187.

### 1998

119. (568). Fahima, T., M.S. Röder, A. Grama and E. Nevo. 1998. Microsatellite DNA polymorphism divergence in *Triticum dicoccoides* accessions highly resistant to yellow rust. Theor. Appl. Genet. 96:187-195.
120. (569). Woo, S.-S., D. Sicard, R. Arroyo-Garcia, O.L. Ochoa, E. Nevo, A.B. Korol, T. Fahima and R. Michelmore. 1998. Many diverged resistance genes of ancient origin exist in lettuce. (Abstract). Plant & Animal Genome Meeting VI, San Diego, 18-22.1.98.
121. (573). Fahima, T., M.S. Röder, A. Grama and E. Nevo. 1998. Microsatellite analysis of *Triticum dicoccoides* accessions highly resistant to yellow rust. (Abstract). Ann. Meet. Isr. Soc. Tissue Culture and Plant Mol. Biol., 24-25.2.98, Bet-Dagan.
122. (574) Dahan, A., T. Fahima, G.L. Sun, M.S. Röder, A. Grama and E. Nevo. 1998. Size variation of chromosome segment, carrying the stripe rust resistance gene *Yr15*, introgressed from wild emmer wheat into cultivated wheat. (Abstract). Ann. Meet. Isr. Soc. Tissue Culture and Plant Mol. Biol., 24-25.2.98, Bet-Dagan.
123. (575). Li, Y.C., T. Fahima, G.L. Sun, A. Beiles, A.B. Korol and E. Nevo. 1998. Edaphic DNA microsite differentiation in wild emmer wheat. (Abstract). Ann. Meet. Isr. Soc. Tissue Culture and Plant Mol. Biol., 24-25.2.1998, Bet-Dagan.
124. (576). Peng, J., T. Fahima, M.S. Röder, L.E. Talbert, T. Blake, A. Grama, A.B. Korol and E. Nevo. 1998. Molecular mapping of stripe rust resistance and other important agronomic traits in wild emmer wheat *Triticum dicoccoides*. (Abstract). Ann. Meet. Isr. Soc. Tissue Culture and Plant Mol. Biol., 24-25.2.1998. Bet-Dagan.
125. (577). Somersalo, S.P. Makela, A. Rajala, E. Nevo and P. Peltonen-Sainio. 1998. Morphophysiological traits characterizing environmental adaptation of *Avena barbata*. Euphytica 99:213-220.
126. (578). Nevo, E., B. Baum, A. Beiles and D.A. Johnson. 1998. Ecological correlates of RAPD DNA diversity of wild barley, *Hordeum spontaneum*, in the Fertile Crescent. Genet. Resour. Crop Evol. 45:151-159.
127. (586). Kato, K., C. Tanizoe, A. Beiles and E. Nevo. 1998. Geographical variation in heading traits in wild emmer wheat, *Triticum dicoccoides*. II. Variation in heading date and adaptation to diverse eco-geographical conditions. Hereditas 128:33-39.
128. (595). Nevo, E. 1998. Genetic diversity in wild cereals: Regional and local studies and their bearing on conservation *ex-situ* and *in-situ* Genet. Resour. Crop Evol. 45:355-370.
129. (597). Li, Y.C., T. Krugman, T. Fahima, A. Beiles and E. Nevo. 1998. Genetic diversity of alcohol dehydrogenase 3 in wild barley population at the "Evolution Canyon" microsite, Nahal Oren, Mt. Carmel, Israel. Barley Genet. Newsl. Barley Genetics Newsletter 28:58-60.
130. (608) Li, Y.C., M.S. Röder, T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1998. Microclimatic diversifying selection governs microsatellite diversity in wild emmer wheat. (Abstract). Proc. Ann. Meet. Fed. Israeli soc. Exper. Biol. December 8-11, 1998, Eilat, Israel. p. 223 (B. 128).
131. (609) Peng, J.H., T. Fahima, M.S. Röder, Y.C. Li, A. Dahan, A. Grama, Y.I. Ronin, A.B. Korol and E. Nevo. 1998. Microsatellite tagging of stripe rust resistance gene *YrH52* derived from wild emmer wheat, *Triticum dicoccoides*, and suggestive negative crossover

interference on chromosome 1B. (Abstract). Proc. Ann. Meet. Fed. Israeli Soc. Exper. Biol. December 8-11, 1998, Eilat, Israel. p. 224 (B. 129).

132. (610) Owuor, E., T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1998. Microscale molecular selection in wild barley. (Abstract). Proc. Ann. Meet. Fed. Isr. Soc. Exp. Biol. December 8-11, 1998, Eilat, Israel. p. 224 (B. 130).

### 1999

133. (621) Peng, J.H., T. Fahima, M.S. Röder, Y.C. Li, A. Dahan, A. Grama, Y.I. Ronin, A.B. Korol and E. Nevo. 1999. Microsatellite tagging of stripe-rust resistance gene *YrH52* derived from wild emmer wheat, *Triticum dicoccoides* and suggestive negative crossover interference on chromosome 1B. (Abstract). Plant and Animal Genome VII Meeting. January 17-21, 1999, San Diego.
134. (622) Li, Y.C., T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1999. DNA differentiation in *Triticum dicoccoides* caused by microclimatic stress. (Abstract). Plant and Animal Genome VII Meeting. January 17-21, 1999, San Diego.
135. (623) Li, Y.C., M.S. Röder, T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1999. Microclimatic diversifying selection governs microsatellite diversity in wild emmer wheat. (Abstract). Plant and Animal Genome VII Meeting. January 17-21, 1999, San Diego.
136. (624) Zhou, Y., T. Fahima, K. Gill and E. Nevo. 1999. Fine mapping of the yellow rust resistance gene *Yr15*. (Abstract). Plant and Animal Genome VII Meeting. January 17-21, 1999, San Diego.
137. (625) Kalendar, R., E. Nevo and A.H. Schulman. 1999. Genome diversification in wild barley (*Hordeum spontaneum*) populations revealed with retrotransposon remap markers. (Abstract). Plant and Animal Genome VII Meeting. January 17-21, 1999, San Diego.
138. (626) Chin D.B., D. Sicard, S-S. Woo, R. Arroyo-Garcia, O. Ochoa, E. Nevo and R.W. Michelmore. 1999. Genetic characterization of the major resistance gene cluster in lettuce (*Lactuca sativa*). (Abstract). Plant and Animal Genome VII, January 17-21, 1999. San Diego.
139. (627) Sicard, D., H.J. Van Eck, S-S. Woo, R. Arroyo-Garcia, O. Ochoa, E. Nevo and R. Michelmore. 1999. Genetic diversity at the major cluster of disease resistance genes in cultivated and wild *Lactuca* spp. (Abstract). Plant and Animal Genome VII, January 17-21, 1999. San Diego.
140. (628) Dahan, A., T. Fahima and E. Nevo. 1999. Cloning and analysis of disease resistance gene homologues in wild emmer wheat, *Triticum dicoccoides*. (Abstract). Israeli Soc. Plant Sci. Conf. Feb. 23, 1999, The Weizmann Inst., Rehovot, Israel.
141. (632) Fahima, T., G.L. Sun, A. Beharav, T. Krugman, A. Beiles and E. Nevo. 1999. RAPD polymorphism of wild emmer wheat population, *Triticum dicoccoides*, in Israel. Theor. Appl. Genet. 98:434-447.
142. (638) Peng, J.H., T. Fahima, M.S. Röder, Y.C. Li, A. Dahan, A. Grama, Y.I. Ronin, A.B. Korol and E. Nevo. 1999. Microsatellite tagging of stripe-rust resistance gene *YrG52* derived from wild emmer wheat, *Triticum dicoccoides*, and suggestive negative crossover interference on chromosome 1B. Theor. Appl. Genet. 98: 862-872.
143. (639) Li, Y.C., T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 1999. Microclimatic stress and adaptive DNA differentiation in wild emmer wheat (*Triticum dicoccoides*). Theor. Appl. Genet. 98:873-883.

144. (654) Fahima, T., M.S. Röder, J.H. Peng, A. Dahan, A. Grama, A.B. Korol and E. Nevo. 1999. Application of genomic tools for the exploitation of wild wheat germplasm: Molecular tagging of stripe rust resistance genes derived from wild emmer wheat. (Abstract). 14<sup>th</sup> Intern. Plant Protection Cong. (IPPC); Plant Protection Towards the Third Millennium—Where Chemistry Meets Ecology. 25-30<sup>th</sup> July, 1999. Jerusalem.
145. (655) Dahan, A., T. Fahima and E. Nevo. 1999. Isolation of disease resistance gene candidates from wild emmer wheat, *Triticum dicoccoides* using degenerate PCR primers. (Abstract). 14<sup>th</sup> Intern. Plant Protection Cong. (IPPC); Plant Protection Towards the Third Millennium – Where Chemistry Meets Ecology. 25-30<sup>th</sup> July, 1999. Jerusalem.
146. (656) Peng, J.H., T. Fahima, M.S. Röder, Y.C. Li, A. Grama and E. Nevo. 1999. Microsatellite fine mapping of *Triticum dicoccoides*-derived stripe-rust resistance gene *YrH52* and the potential application in marker-assisted selection. (Abstract). 14<sup>th</sup> Intern. Plant Protection Cong. (IPPC); Plant Protection Towards the Third Millennium – Where Chemistry Meets Ecology. 25-30<sup>th</sup> July, 1999. Jerusalem.
147. (661) Vicent, C.M., A. Suoniemi, K. Ananthawat-Jonsson, J. Tanskanen, A. Beharav, E. Nevo and A.H. Schulman. 1999. Retrotransposon *BARE-1* and its role in genome evolution in the genus *Hordeum*. *The Plant Cell* 11:1769-1784.
148. (663) Owuor, E.D., T. Fahima, A. Beharav, A.B. Korol and E. Nevo. 1999. RAPD divergence caused by microsite edaphic selection in wild barley. *Genetica* 105:177-192.
149. (670) Turpeinen, T., J. Kulmala and E. Nevo. 1999. Genome size variation in *Hordeum spontaneum* populations. *Genome* 42:1094-1099.
150. (671) Chague, V., T. Fahima, A. Dahan, G.L. Sun, A.B. Korol, Y.I. Ronin, A. Grama, M.S. Röder and E. Nevo. 1999. Isolation of microsatellite and RAPD markers flanking the *Yr15* gene of wheat using NILs and bulked segregant analysis. *Genome* 42:1050-1056.
- 2000**
151. (674) Close, T.J., Dong-Woog Choi, S. Salvi, R. Tuberosa, N. Ryabushkina and E. Nevo. 2000. Allelic variation at loci encoding dehydrins in wild and cultivated barley. (Abstract). *Plant and Animal Genome VIII*, January, 9-12, 2000, San Diego.
152. (676) Peng, J.H., T. Fahima, M.S. Röder, Y.C. Li, A. Grama and E. Nevo. 2000. Microsatellite high-density mapping of the stripe rust resistance gene *YrH52* region on chromosome 1B and evaluation of its marker-assisted selection in the F<sub>2</sub> generation in wild emmer wheat. *New Phytologist* 146:141-154.
153. (681) Li, Y.C., M.S. Röder, T. Fahima, V.M. Kirzhner, A. Beiles, A.B. Korol and E. Nevo. 2000. Natural selection causing microsatellite divergence in wild emmer wheat at the ecologically variable microsite at Ammiad, Israel. *Theor. Appl. Genet.* 100:985-999.
154. (684) Fetch, T.G. Jr., B.J. Steffenson and E. Nevo. 2000. Multiple disease resistance in *Hordeum spontaneum* accessions from Israel and Jordan. 8<sup>th</sup> Intern. Barley Genetics Symp. October 22-27 2000, Adelaide, South Australia.
155. (685) Li, Y.C., T. Fahima, A.B. Korol, J.H. Peng, M.S. Röder, V.M. Kirzhner, A. Beiles and E. Nevo. 2000. Microsatellite diversity correlated with ecological-edaphic and genetic factors in three microsites of wild emmer wheat in North Israel. *Mol. Biol. Evol.* 17:851-862.
156. (686) Kalendar, R., J. Tanskanen, S. Immonen, E. Nevo and Alan H. Schulman. 2000. Genome evolution of wild barley (*Hordeum spontaneum*) by *BARE-1* retrotransposon dynamics in response to sharp microclimatic divergence. *Proc. Natl. Acad. Sci. USA* 97:6603-6607.

157. (688) Fahima, T., J.H. Peng, A. Dahan, M.S. Röder, A. Grama, A.B. Korol and E. Nevo. 2000. Molecular tagging of the stripe rust resistance genes, *Yr15* and *Yrh52*, derived from wild emmer wheat, *Triticum dicoccoides*. (Abstract). Israeli Assoc. of Plant Sciences, Annual Meeting Feb. 2000. Volcani Agriculture Research Center, Beit Dagan. No. 18.
158. (689) Krugman, T., H. Qingyang, Z. Lu, A. Fahum and E. Nevo. 2000. Physiological characterization and genetic mapping of drought resistance in wild barley, *Hordeum spontaneum*. (Abstract). Israeli Assoc. of Plant Sciences, Annual Meeting Feb. 2000. Volcani Agriculture Research Center, Beit Dagan. No. 19.
159. (690) Nevo, E., M.A. Bolshakova, G.I. Martyn, L.I. Musatenko, K.M. Sytnik, T. Pavlicek and A. Beharav. 2000. Drought and light anatomical adaptive leaf strategies in three woody species caused by microclimatic selection at "Evolution Canyon", Israel. *Isr. J. Plant Sci.* 48:33-46.
160. (691) Van Rijn, C.P.E., I. Heersche, Y.E.M. Van Berkel, E. Nevo, H. Lambers and H. Poorter. 2000. Growth characteristics in *Hordeum spontaneum* populations from different habitats. *New Phytol.* 146:471-481.
161. (693) Close, T.J., D.W. Choi, M. Venegas, S. Salvi, R. Tuberosa, N. Ryabushkina, Y. Turuspekov and E. Nevo. 2000. Allelic variation in wild and cultivated barley at the *Dhn4* locus, which encodes a major drought-induced and seed protein, DHN4. 8<sup>th</sup> Intern. Barley Genetics Symp. 22-27 Oct. 2000, Adelaide, South Australia.
162. (703) Peng, J.H., A.B. Korol, T. Fahima, M.S. Röder, Y.I. Ronin, Y.C. Li, and E. Nevo. 2000. Molecular genetic maps in wild emmer wheat, *Triticum dicoccoides*: Genome-wide coverage, massive negative interference, and putative quasi-linkage. *Genome Res.* 10:1509-1531.
163. (708) Belyayev, A., O. Raskina, A.B. Korol and E. Nevo. 2000. Coevolution of A and B-genomes in allotetraploid *Triticum dicoccoides*. *Genome* 43:1021-1026.
164. (709) Li, Y.C., T. Fahima, J.H. Peng, M.S. Röder, V. Kirzhner, A. Beiles, A.B. Korol and E. Nevo. 2000. Edaphic microsatellite DNA divergence in wild emmer wheat, *Triticum dicoccoides* at a microsite, Tabigha, Israel. *Theor. Appl. Genet.* 101:1029-1038.
165. (718) Ivandic, V., C.A. Hackett, Z.J. Zhang, J.E. Staub, E. Nevo, W.T.B. Thomas and B.P. Forster. 2000. Phenotypic responses of wild barley to experimentally imposed water stress. *J. Exper. Bot.* 51:2021-2029.

## 2001.

166. (724) Korol, A.B., Y.I. Ronin, A.M. Itskovich, J.H. Peng, and E. Nevo. 2001. Enhanced efficiency of quantitative trait loci mapping analysis based on multivariate complexes of quantitative traits. *Genetics* 157:1789-1803.
167. (725) a. Peng, J.H., T. Fahima, J. Cheng, M.S. Röder, Y.I. Ronin, Y.C. Li, A.B. Korol and E. Nevo. 2001. Molecular genetic maps in wild emmer wheat, *Triticum dicoccoides*. (Abstract). Intern. Conf. Plant & Animal Genome IX, 13-17 Jan. 2001. San Diego, CA.  
 b. Peng, J.H., A.B. Korol, T. Fahima, J. Cheng, L. Kong, M.S. Röder, Y.I. Ronin and E. Nevo. 2001. (Abstract). Massive negative interference, and putative quasi-linkage upon hybridization of wild emmer wheat, *Triticum dicoccoides*, with cultivated wheat, *T. durum*. (Abstract). Intern. Conf. Plant & Animal Genome IX, 13-17 Jan. 2001. San Diego, CA.  
 c. Peng, J.H., T. Fahima, M.S. Röder, Y.C. Li, Y.I. Ronin, E. Nevo and A.B. Korol. 2001. Genetic dissection of the differences between wild emmer wheat, *Triticum dicoccoides*, and cultivated wheat, *T. durum*, for agronomically important traits. (Abstract). Intern. Conf. Plant & Animal Genome IX, 13-17 Jan. 2001. San Diego, CA.

- 168.** (726) **a.** Kuang, H., K. Shen, D. Chin, B. Meyers, S-S. Woo, E. Nevo and R. Michelmore. 2001. Evolution of genes in the major resistance cluster of *Lactuca* spp. (Abstract). Intern. Conf. Plant & Animal Genome IX, 13-17 Jan. 2001. San Diego, CA.
- b.** Talbert, H., V. Kanazin, E. Nevo and T. Blake. 2001. Genetic diversity among accessions of wild barley (*Hordeum spontaneum*) and modern cultivated barley varieties. (Abstract). Intern. Conf. Plant & Animal Genome IX, 13-17 Jan. 2001. San Diego, CA.
- c.** Huang, Q., Z. Lu, T. Krugman, T. Fahima, M.S. Röder, E. Nevo and A.B. Korol. 2001. QTL analysis of drought resistance in wild barley, *Hordeum spontaneum*. (Abstract). Intern. Conf. Plant & Animal Genome IX, 13-17 Jan. 2001. San Diego, CA.
- 169.** (729) Belyayev, A., O. Raskina and E. Nevo. 2001. Chromosomal distribution of reverse transcriptase-containing retroelements in two *Triticeae* species. *Chromosome Res.* 9:129-136.
- 170.** (736) **a.** Belyayev, A., O. Raskina and E. Nevo. 2001. Visualization of A-, B- and D-genomes of bread wheat and alien chromosomes from S-genome species in the addition/substitution lines by GISH. (Abstract). 4<sup>th</sup> Intern. Triticeae Symp. 10-12 Sept 2001, Cordoba. **b.** Raskina, O., A. Belyayev and E. Nevo. 2001. Interpopulation chromosomal GISH- molecular-banding polymorphism of the wild emmer wheat *Triticum dicoccoides* Korn. (Abstract). 4<sup>th</sup> Intern. Triticeae Symp. 10-12 Sept. 2001, Cordoba.
- 171.** (740) Nevo, E. 2001 Evolution of genome-phenome diversity under environmental stress. *Proc. Natl. Acad. Sci. USA* 98:6233-6240.
- 172.** (742) Li, Y.C., T. Fahima, T. Krugman, A. Beiles, M.S. Röder, A.B. Korol and E. Nevo. 2000. Parallel microgeographic patterns of genetic diversity and divergence revealed by allozyme, RAPD, and microsatellites in *Triticum dicoccoides* at Ammiad, Israel. *Conservation Genet.* 1:191-207.
- 173.** (747) Peng, J.H., T. Fahima, M.S. Röder, Q.Y. Huang, A. Dahan, Y.C. Li, A. Grama and E. Nevo. 2000. High-density molecular map of chromosome region harboring stripe-rust resistance genes *YrH52* and *Yr15* derived from wild emmer wheat, *Triticum dicoccoides*. *Genetica* 109:199-210.
- 174.** (748) Li, Y.C., T. Krugman, T. Fahima, A. Beiles, A.B. Korol and E. Nevo. 2000. Spatiotemporal allozyme divergence caused by aridity stress in a natural population of wild emmer wheat, *Triticum dicoccoides*, at the Ammiad microsite, Israel. *Theor. Appl. Genet.* 109:853-864.
- 175.** (750) Turpeinen, T., T. Tenhola, O. Manninen, E. Nevo and E. Nissila. 2001. Microsatellite diversity associated with ecological factors in *Hordeum spontaneum* populations in Israel. *Mol. Ecol.* 10:1577-1591.
- 176.** (753) Nevo, E. 2001. Ecological stress and adaptive genetic evolution in plant populations at global, regional, and local scales. (Abstract). European Science Foundation Workshop, 27-30 July, 2001, Newcastle-Upon-Tyne, England.
- 177.** (755) Nevo, E., A.B. Korol, A. Beiles and T. Fahima. 2002. *Evolution of Wild Emmer and Wheat Improvement. Population Genetics, Genetic Resources, and Genome Organization of Wheat's Progenitor, Triticum dicoccoides*. Springer-Verlag. pp. 364.
- 178.** (758) **a.** Beharav, A., and E. Nevo. 2001. The Institute of Evolution's database of wild wheat, wild barley and wild *Lactuca*. (Abstract). *Isr. J. Plant Sci.* 49:149.
- b.** Cheng, J.P., J.H. Peng, T. Fahima, A.B. Korol, L.R. Kong, M.S. Röder, Y.I. Ronin and E. Nevo. 2001. Massive negative interference, and putative quasi-linkage upon hybridization of wild emmer wheat, *Triticum dicoccoides*, with cultivated wheat, *T. durum*. (Abstract). *Isr. J. Plant Sci.* 49:151.
- c.** Cohen, T., T. Pavlicek, E. Nevo and T. Fahima. 2001. Allozyme diversity and

- divergence in *Lotus peregrinus* at Evolution Canyon, Lower Nahal Oren, Mt. Carmel, Israel. (Abstract). *Isr. J. Plant Sci.* 49:151-152.
- 179.** (759) **a.** Fahima, T., J.H. Peng, J.P. Cheng, M.S. Röder, Y.I. Ronin, Y.C. Li, A.B. Korol and E. Nevo. 2001. Molecular genetic maps in tetraploid wild emmer wheat, *Triticum dicoccoides*, based on microsatellite and AFLP markers. (Abstract). *Isr. J. Plant Sci.* 49:154.
- b.** Huang, Q., Z. Lu, T. Krugman, T. Fahima, C. Guoxiong, M.S. Röder, E. Nevo and A.B. Korol. 2001. QTL analysis of drought resistance in wild barley, *Hordeum spontaneum*. (Abstract). *Isr. J. Plant Sci.* 49:159.
- 180.** (761) Nevo, E. 2001. Genetic resources of wild emmer, *Triticum dicoccoides*, for wheat improvement in the third millennium. *Isr. J. Plant Sci.* 49:77-91.
- 181.** (763) **a.** Belyayev, A., O. Raskina and E. Nevo. 2001. Retrotransposon-mediated sub-genome repetitive arrays directional homogenization in allotetraploid wild emmer wheat *Triticum dicoccoides*. (Abstract). 14<sup>th</sup> Intern. Chromosome Conf. 4-8 Sept. 2001, Wurzburg, Germany. P52.
- b.** Raskina, O., A. Belyayev and E. Nevo. 2001. Repetitive DNA of the wild emmer wheat *Triticum dicoccoides* Korn.: Genomic *in situ* hybridization analysis of the relatedness of the S-genome species to B-genome. (Abstract). 14<sup>th</sup> Intern. Chromosome Conf. 4-8 Sept. 2001, Wurzburg, Germany. P83.
- 182.** (764) **a.** Ivandic, V., Z.J. Zhang, E. Nevo, W.T.B. Thomas and B.P. Forster. 2001. Associations of simple sequence repeats with powdery mildew resistance in wild barley, *Hordeum spontaneum*. (Abstract). 4<sup>th</sup> Intern. Triticeae Symp. 10-12 Sept. 2001, Cordoba, Spain. p. 28.
- b.** Raskina, O., A. Belyayev and E. Nevo. 2001. Interpopulation chromosomal Gish-molecular-banding polymorphism of the wild emmer wheat *Triticum dicoccoides* Korn. (Abstract). 4<sup>th</sup> Intern. Triticeae Symp. 10-12 Sept. 2001, Cordoba, Spain. p. 42.
- c.** Belyayev, A., O. Raskina and E. Nevo. 2001. Visualization of A-, B- and D-genomes of bread wheat and alien chromosomes from S-genome species in the addition / substitution lines by GISH. (Abstract). 4<sup>th</sup> Intern. Triticeae Symp. 10-12 Sept. 2001, Cordoba, Spain. p. 42.
- 183.** (766) Belyayev, A., Raskina, O. and E. Nevo. 2001. Evolutionary dynamics and chromosomal distribution of repetitive sequences chromosomes of *Aegilops speltoides* revealed by genomic *in situ* hybridization. *Heredity* 86:738-742.
- 184.** (778) Van Rijn, C.P.E., T.K. Vanhala, E. Nevo, P. Stam, F.A. van Eeuwijk and H. Poorter. 2001. Association of AFLP markers with growth-related traits in *Hordeum spontaneum*. In: Cynthia van Rijn Ph.D. Thesis: A physiological and genetic analysis of growth characteristics in *Hordeum spontaneum*. Universiteit Utrecht, Faculteit Biologie, Utrecht, pp. 75-93.

## 2002.

- 185.** (780) Fahima, T., M.S. Röder, K. Wendehake, V.M. Kirzhner and E. Nevo. 2002. Microsatellite polymorphism in natural populations of wild emmer wheat, *Triticum dicoccoides*, in Israel. *Theor. Appl. Genet.* 104:17-29.
- 186.** (782) Gupta, P.K., P.K. Sharma, H.S. Balyan, J.K. Roy, S. Sharma, A. Beharav and E. Nevo. 2002. Polymorphism at rDNA loci in barley and its relation with climatic variables. *Theor. Appl. Genet.* 104:473-48.

- 186a.** (783a) Gupta P.K., S. Sharma, S. Kumar, H.S. Balyan, and E. Nevo. 2004. Role of ribosomal DNA polymorphism in adaptation and homogenization of repeat length variants at two NOR loci in wild barley. 6<sup>th</sup> Symposium on Functional Genomics, Feb. 23-24.
- 187.**(783) a. Suprunova, T., I. Baca, T. Krugman, T. Fahima, A.B. Korol and E. Nevo. 2002. Induction and differential expression of dehydrine (dhn) genes in wild barley (*Hordeum spontaneum*) in response to drought stress. (Abstract). Plant Animal & Microbe Genomes X (PAG-X) Conf. 12-16.3.2002, San Diego, CA, USA.
- 188.** Chen G., T., Krugman, T. Fahima, M.S. Röder, A.B. Korol and E. Nevo. 2002. Identification of drought resistance QTLs based on multivariate complexes of quantitative trait analysis in *Hordeum spontaneum* from Israeli xeric population. (Abstract). 6<sup>th</sup> Gatersleben Research Conf. "Plant Genetic Resources in the Genomic Era: Genetic Diversity, Genome Evolution and New Applications. 7-11.3.2002, Gatersleben-Chateau Meisdorft, Germany.
- 189.** (785) Raskina, O., A Belyayev and E. Nevo. 2002. Repetitive DNAs of wild emmer wheat (*Triticum dicoccoides*) and their relation to S-genome species: molecular cytogenetic analysis. *Genome* 45:391-401.
- 190.** (786) Liu, Z. Q. Sun, Z. Ni, E. Nevo and T. Yang. 2002. Molecular characterization of a novel powdery mildew resistance gene *Pm30* in wheat originating from wild emmer. *Euphytica* 123:21-29.
- 191.**(788) Ivandic, V., C.A. Hackett, E. Nevo, R. Keith, W.T.B. Thomas and B.P. Forster. 2002. Analysis of simple sequence repeats (SSRs) in wild barley from the Fertile Crescent: Associations with ecology, geography and flowering time. *Plant Mol. Biol.* 48:511-527.
- 192.**(789) Kanazin, V., H. Talbert, D. See, P. DeCamp, E. Nevo and t. Blake. 2002. Discovery and assay of single-nucleotide polymorphisms in barley (*Hordeum vulgare*). *Plant Mol. Biol.* 48:529-537.
- 193.** (804) Fetch, T. Jr., J. Gold and E. Nevo. 2003. Evaluation of wild oat germplasm for stem rust resistance. (Abstract). 8<sup>th</sup> Intern. Cong. Plant Pathology, 2-8 February 2003. Christchurch, New Zealand.
- 194.** (807) Li, Y.C., M.S. Röder, T. Fahima, V.M. Kirzhner, A. Beiles, A.B. Korol and E. Nevo. 2002. Climatic effects on microsatellite diversity in wild emmer wheat (*Triticum dicoccoides*) at the Yehudiyya microsite, Israel. *Heredity* 89:127-132.
- 195.** (811) Belyayev, A., O. Raskina and E. Nevo. 2001. Detection of alien chromosomes from S-genome species in the addition/substitution lines of bread wheat and visualization of A-, B- and D-genomes by GISH. *Hereditas* 135:119-122.
- 196.** (814) Buerstmayr, H., M. Stierschneider, B. Steiner, M. Lemmens, M. Griesser, E. Nevo and T. Fahima. (2002). Variation for resistance to *Fusarium* head blight in *Triticum dicoccoides*. (Abstract). 7th European Seminar "*Fusarium* - Mycotoxins, Taxonomy and Pathogenicity" 4-7 September, 2002, Poznan, Poland. p. 115.
- 197.** (820) Liviero, L., E. Maestri, M. Gulli, E. Nevo and N. Marmirioli. 2002. Ecogeographic adaptation and genetic variation in wild barley, application of molecular markers targeted to environmentally regulated genes. *Genet. Resour. Crop Evol.* 49:133-144.
- 198.** (822) Lu, Z., T. Krugman, P.M. Neumann and E. Nevo. 1999. Physiological characterization of drought tolerance in wild barley (*Hordeum spontaneum*) from the Judean Desert. *Barley Genetics Newsletter* 29:36-40.



- 199.(823) Chen, G., T. Krugman, T. Fahima, A.B. Korol and E. Nevo. 2002. Comparative study of morphological and physiological traits related to drought resistance between xeric and mesic *Hordeum spontaneum* lines in Israel. *Barley Genet. Newsletter* 32:22-33.
- 200.(824) Li, Y.-C., A.B. Korol, T. Fahima, A. Beiles and E. Nevo. 2002. Microsatellites: Genomic distribution, putative functions and mutational mechanisms: a review. *Mol. Ecol.* 11:2453-2465.
- 201.(816) Huang, Q., A. Beharav, Y.C. Li, V.M. Kirzhner and E. Nevo. 2002. Mosaic microecological differential stress causes adaptive microsatellite divergence in wild barley, *Hordeum spontaneum*, at Neve Yaar, Israel. *Genome* 45:1216-1229.
- 2003.**
- 202.(832) Baek, H.J., A. Beharav and E. Nevo. 2003. Ecological-genomic diversity of microsatellites in wild barley, *Hordeum spontaneum*, populations in Jordan. *Theor. Appl. Genet.* 106:397-410.
- 203.(833) Zhang, F., Y. Gutterman, T. Krugman, T. Fahima and E. Nevo. 2002. Differences in primary dormancy and seedling revival ability for some *Hordeum spontaneum* genotypes of Israel. *Isr. J. Plant Sci.* 50:271-276.
- 204.(848) Chen, G., T. Krugman, T. Fahima, Y. Hu, M.S. Röder, A.B. Korol and E. Nevo. 2003. QTLs for drought resistance identified by multivariate complex analysis in wild barley, *Hordeum spontaneum*, from an Israeli desert environment. (Abstract). *Plant and Animal Genome XI Conf.* 11-15 January, 2003. San Diego, CA. P 417.
- 205.(849) Weining, S., G. Chen, Y. Hu, Y. Chen and E. Nevo. 2003. Adding primers at different times can markedly change the amplification efficiency of PCR (Abstract). *Plant and Animal Genome XI Conf.* January 11-15, 2003, San Diego, CA. P129.
- 206.(850) Weining, S., Y. Hu and E. Nevo. 2003. Toward understanding the molecular mechanism of drought resistance in wild barleys through the identification of nucleic acids polymorphisms in dehydrin genes. (Abstract). *Plant and Animal Genome XI Conf.* 11-15 January, 2003, San Diego, CA. P416.
- 207.(851) Peng, J.H., Y.I. Ronin, T. Fahima, M.S. Röder, Y.C. Li, E. Nevo and A.B. Korol. 2003. Domestication quantitative trait loci in *Triticum dicoccoides*, the progenitor of wheat. *Proc. Natl. Acad. Sci. USA* 100:2489-2494.
- 208.(854) Buerstmayr, H., M. Stierschneider, B. Steiner, M. Lemmens, M. Griesser, E. Nevo and T. Fahima. 2003. Variation for resistance to head blight caused by *Fusarium graminearum* in wild emmer (*Triticum dicoccoides*) originating from Israel. *Euphytica* 130:17-23.
- 209.(857) Li, Y.C., T. Fahima, M.S. Röder, V.M. Kirzhner, A. Beiles, A.B. Korol and E. Nevo. 2003. Genetic effects on microsatellite diversity in wild emmer wheat (*Triticum dicoccoides*) at the Yehudiyya microsite, Israel. *Heredity* 90:150-156.
- 210.(859) Owuor, E.D., A. Beharav, T. Fahima, V.M. Kirzhner, A.B. Korol and E. Nevo. 2003. Microscale ecological stress causes RAPD molecular selection in wild barley, Neve Yaar microsite, Israel. *Genet. Resour. Crop Evol.* 50:213-224.
- 211.(865) Belyayev, A., O. Raskina and E. Nevo. 2003. Evolutionary dynamics of repetitive DNA fraction in two wild Triticeae species. In: *Plant Genome: Biodiversity and Evolution; Vol. 1, part A – Phanerogams.* Science Publishers, Inc., USA, pp.37-56.

- 212.(866) Turpeinen, T., V. Vanhala, E. Nevo and E. Nissila. 2003. AFLP genetic polymorphism in wild barley (*Hordeum spontaneum*) populations in Israel. *Theor. Appl. Genet.* 106:1333-1339.
- 213.(867) Peng, J.H., Y. Ronin, T.Fahima, M.S. Röder, E. Nevo, and A.B. Korol. 2003 Genomic distribution of domestication QTLs in wild emmer wheat, *Triticum dicoccoides*. (Abstract). 10<sup>th</sup> International Wheat Genetics Symposium, 1 – 6 Sept. 2003. Paestum, Italy. 1-6 Sept. 2003.1:34-37.
- 214.(868) Nevo, E., A.B. Korol, A. Beiles and T. Fahima. 2003 Evolution of wild emmer wheat and wheat improvement. 10<sup>th</sup> International Wheat Genetics Symposium, 1 – 6 Sept. 2003. Paestum, Italy.
- 215.(869) Saranga, Y., Z. Peleg, S. Abbo, T. Krugman, E. Nevo and T. Fahima. 2003. Genetic diversity for drought resistance in wild emmer wheat, *Triticum dicoccoides*. 10<sup>th</sup> International Wheat Genetics Symposium, 1 – 6 Sept. 2003. Paestum, Italy.
- 216.(870) Fahima, T., S. Ramachandran, T. Krugman, M.S. Röder, E. Nevo, and M.W. Feldman. 2003. Estimation of domestication times of wheat and barley based on microsatellite polymorphisms. 10<sup>th</sup> International Wheat Genetics Symposium, 1 – 6 Sept. 2003. Paestum, Italy.
- 217.(871) Xie, W.L., C.J. Xie, O.X. Sun, B. Zeng, Z.F.Ni, T.M. Yang, A. Dinnor, E. Nevo and T. Fahima. 2003. Identification of resistance gene analog markers closely linked to the powdery mildew resistance gene MIG, derived from wild emmer wheat, *Triticum dicoccoides*. 10<sup>th</sup> International Wheat Genetics Symposium, 1 – 6 Sept. 2003. Paestum, Italy.
- 218.(872) Xie, C.Y., Q. Sun, Z F. Ni, T. M.Yang, E. Nevo, and T. Fahima. 2003. Chromosomal location of a *Triticum dicoccoides*-derived powdery mildew resistance gene in common wheat by using microsatellite markers. *Theor. Appl. Genet.* 106:341-345.
- 219.(885). Ivandic, V., W.T.B. Thomas, E. Nevo, Z. Zhang and B.P. Forster. 2003. Associations of simple sequence repeats with quantitative trait variation including biotic and abiotic stress tolerance in *Hordeum Spontaneum*. *Plant Breeding* 122:300-304.
- 220.(887) Fahima, T., J.P. Cheng, J. Yan, A. Dahan and E. Nevo. 2003. Disease resistance gene analog polymorphism of wild emmer wheat population, *Triticum dicoccoides*. 10<sup>th</sup> International Wheat Genetics Symposium. 2:478-480.
- 221.(888) Beharav, A. and E. Nevo. 2003. Agronomically important traits of polymorphism in natural populations of wild emmer wheat, *Triticum dicoccoides*, in Israel. (Abstract). 10<sup>th</sup> International Wheat Genetics Symposium 2:672-674.
- 222.(889) Cheng, J.P., Z.J. Yang, J. Yan, A. Dahan, M.S. Röder, E. Nevo and T. Fahima. 2003. Development of resistance gene analog markers linked to the stripe rust resistance gene *YrH52* derived from wild emmer wheat, *Triticum dicoccoides*. (Abstract). 10<sup>th</sup> International Wheat Genetics Symposium. 3:1118-1120.
- 223.(847) Ronin, Y.I., E. Britvin, E. Nevo and A.B. Korol. Multiple trait analysis of linked interacting QTL. (Abstract). *Plant and Animal Genome XI Conf.* 11-15 January, 2003. San Diego, CA. P715.
- 224.(919) Nevo, E., A.B. Korol, A.Beiles, and T. Fahima. 2003. Evolution of wild emmer wheat and wheat improvement. (Abstract). 10<sup>th</sup> International Wheat Genetics Symposium, 1-6 Sept. 2003. Paestum Italy 1:29-33.

- 225.(891) Beharav, A. and E. Nevo. 2003. Predictive validity of discriminant analysis for genetic data. *Genetica* 119:259-267.
- 226.(893) Mester, D., Y.I. Ronin, Y. Hu, E. Nevo, and A.B. Korol. 2003. Efficient multipoint mapping: Making use of dominant repulsion-phase markers. *Theor. Appl. Genet.* 107:1102:1112.
- 227.(901) Fetch, T.G., B.J. Steffenson, and E. Nevo. 2003. Diversity and sources of multiple disease resistance in *Hordeum spontaneum*. *Plant Disease* 87:1439-1448.
- 228.(844) Mester, D., Y.I. Ronin, D. Minkov, E. Nevo and A.B. Korol. 2003. Evolutionary n strategy algorithms for constructing large scale genetic maps. (Abstract). Plant and Animal Genome XI Conf. 11-15 January, 2003. San Diego, CA. P846.
- 2004.**
- 229.(922) Altinkut, A., S. Weining. and E. Nevo. 2004. Molecular cloning and characterization of ABA biosynthesis genes in wild barley, *Hordeum spontaneum*. (Abstracts): Plant & Animal Genome XII Conference, Town & Country Convention Center, San Diego, CA., Jan. 10-14 2004. P:470.
- 230.(916) Raskina, O., A. Belyayev, and E. Nevo. 2004. Activity of the *En/Spm*-like transposons in meiosis as a base for chromosome repatterning in a small, isolated, peripheral population of *Aegilops speltoides* Taushch. *Chrom. Res.*12:153-161.
- 231.(910) Weining, S., D. Xianghong and E. Nevo. 2004. Transforming *Arabidopsis* with genes from wild barley for the analysis of drought tolerance. (Abstract). Plant & Animal Genome XII Conference, Town & Country Convention Center, San Diego. CA., Jan. 10-14, 2004, P:98.
- 232.(921) Verhoeven, K.J.F., A. Biere, E. Nevo and J.M.M. van Damme. 2004. Differential selection of growth rate-related traits in wild barley, *Hordeum spontaneum*, in contrasting greenhouse nutrient environments. *J. Evol. Biol.*17:184-196.
- 233.(884) Chen, G., T. Krugman, T. Fahima, F. Zhang, A.B. Korol and E. Nevo. 2004. Differential patterns of germination and desiccation tolerance of mesic and xeric wild barley (*Hordeum spontaneum*) in Israel. *Jour. Arid Environ.* 56:95-105.
- 234.(913) Xie, C., Q. Sun, Z. Ni, T. Yang, E. Nevo and T. Fahima. 2004. Identification of resistance gene analogue markers closely linked to wheat powdery mildew resistance gene *Pm31*. *Plant Breeding* 124:1-3.
- 235.(919) Gupta, P.K., S. Sharma, S. Kumar, H.S. Balyan, A. Beharav and E. Nevo. 2004. Adaptive ribosomal DNA polymorphism in wild barley at a mosaic microsite, Newe Ya'ar in Israel. *Plant Sci.* 166:1555-1563.
- 236.(928) Sharma, S., A. Beharav, H.S. Balyan, E. Nevo and P. K. Gupta. 2004. Ribosomal DNA polymorphism and its association with geographical and climatic variables in 27 wild barley populations from Jordan. *Plant Sci.* 166:467-477.
- 237.(932) Li, Y-C., A.B. Korol, T. Fahima and E. Nevo. 2004. Microsatellites within genes: Structure, function, and evolution. *Mol. Biol. Evol.* 6:991-1007.

- 238.(936) Verhoeven, K.J.E., A. Biere, E. Nevo and J.M.M. van Damme. 2004. Can a genetic correlation with seed mass constrain adaptive evolution of seedling desiccation tolerance in wild barley? *Int. J. Plant Sci.* 165:281-288.
- 239.(938) Baum, B.R., L.G. Bailey, A. Belyayev, O. Raskina and E. Nevo. 2004. The utility of the nontranscribed spacer of 5S rDNA units grouped into unit classes assigned to haplomes—a test on cultivated wheat and wheat progenitors. *Genome* 47:590-599.
- 240.(939) Chen, G., T. Suprunova, T. Krugman, T. Fahima and E. Nevo. 2004. Ecogeographic and genetic determinants of kernel weight and color of wild barley (*Hordeum spontaneum*) populations in Israel. *Seed Sci. Res.* 14:137-146.
- 241.(942) Beharav, A. and E. Nevo. 2004. Variation in agronomically important traits in natural population of wild emmer wheat, *Triticum dicoccoides*, in Israel. *Plant Genet. Resour.* 2:81-84.
242. (943). Chen G., M. Sagi, Weining S., T. Krugman, T. Fahima, A.B. Korol, and E. Nevo. 2004. Wild barley *Eibi1* mutation identifies a gene essential for leaf water conservation. *Planta* 219:684-693.
243. (944). Chen G., M. Sagi, Weining S., T. Krugman, T. Fahima, A.B. Korol and E. Nevo. 2004. Characterization and mapping of wild Barley *Eibi1* mutation identifying a gene essential for leaf water conservation. (Abstract). 9<sup>th</sup> International Barley Genetics Symposium. Czech Republic, Brno June 20-26 2004.
- 244.(949) Nevo E. 2004. Evolution of genome dynamics under ecological stress. In: V. Parisi, V. De Fonzo and F. Alluffi-Pentini (Eds). *Dynamical Genetics* 2004. Research Signpost, Kerala, India. ISBN 81:7736-231-3.
- 245.(953) Nevo E., 2004. Evolution and stress. *Hormone Research* 2004, 62:(suppl 2)1-2.
- 246.(954) Nevo, E. 2004. Population genetic structure of cereal wild progenitors: In: *Cereal Genomics*. P.K. Gupta, and R.K. Varshney (eds.). Kluwer Academic Press, Dordrecht.
- 247.(955) Nevo, E. Genomic diversity in nature and domestication. In: *Diversity and Evolution of Plants. Genotypic and Phenotypic Variation in Higher Plants*. R. Henry, (ed.). CABI Publishing CAB International, Wallingford, U.K.
- 248.( 911) Verhoeven, K.J.F., T.K. Vanhala, A. Biere, E. Nevo and J.M.M. van Damme. 2004. The genetic basis of adaptive population differentiation: a QTL-analysis of fitness traits in two wild barley populations from contrasting habitats. *Evolution* 58:270-283.
- 249.(958) Belyayev, A., O. Raskina and E. Nevo. 2004. Quantum speciation in the wild *Aegilops* species on the basis of chromosomal rearrangements directional selectivity. (Abstract). *Chromos. Res.*12:70-71.
- 250.(959) Altinkut, A., O. Raskina, E. Nevo, and A. Belyayev. 2004. En/Spm-like transposons in wild *triticeae* species: preference to a certain chromosomal regions. (Abstract). *Chromos. Res.* 12:73.
- 251.(975) Peleg Z., Y. Saranga, T. Krugman, S. Abbo, E. Nevo and T. Fahima. 2004. Microsatellites genetic diversity associated with drought resistance and ecogeographical parameters in wild emmer wheat (*Triticum turgidum* app. *dicoccoides*) populations. (Abstract) *Plant & Animal Genome XII Conference*. Town & Country Convention Center, San Diego, CA. Jan. 15-19, 2004.

- 252.(945) Raskina, O., A. Belyayev and E. Nevo. 2004. Quantum speciation in *Aegilops*: molecular cytogenetic evidence from rDNA cluster variability in natural populations. Proc. Natl. Acad Sci. USA, 101:14818-14823.
- 253.(956) Suprunova, T., T. Krugman, T. Fahima, G. Chen, I. Shams, A.B. Korol and E. Nevo. Differential expression of dehydrin (*Dhn*) in response to water stress in resistant and sensitive wild barley (*Hordeum spontaneum*). Plant Cell & Environment 27:1297-1308.
- 254.(954) Nevo, E. 2004. Population genetic structure of wild barley and wheat in the near east fertile crescent: regional and local adaptive patterns. In: *Cereal Genomics*. P.K. Gupta and R.K. Varshney (eds.). Chapter 6, pp. 135-163.
- 255.(973) Lewinsohn, D., E. Nevo, K. Shefi, and A. Beharav. 2004. Wild lettuce as a genetic resource to the fungus *Bremia lactucae*. Yevul Ci p.24. (יבול שיא עמ' 24).
- 256.(962) Cakmak, I., A. Torun, E. Millet, M. Feldman, T. Fahima, A.B. Korol, E. Nevo, H.J. Braun and H. Ozkan. 2004. *Triticum dicoccoides*: an important genetic resource for increasing zinc and iron concentration in modern cultivated wheat. Soil Sci. Plant Nutr. 50:1047-1054.
- 2005.**
- 257.(977) Neufeld, K., A. Distelfeld, L. Gelfarb, D. Lewinsohn, E. Nevo and T. Fahima. 2005. Fine mapping of the stripe-rust resistance gene, *YrH52*, based on comparative analysis with rice genome. (Abstract). Fiseb congress (Ilanit), Eilat, Feb. 7-10, 2005.
- 258.(978) Lewinsohn, D., M.S. Röder, E. Nevo and T. Fahima. 2005. Identification and mapping of a novel stripe rust resistance gene, *Yr303*, derived from wild emmer wheat, *Triticum dicoccoides*. (Abstract). Fiseb congress (Ilanit), Eilat, Feb. 7-10, 2005.
- 259.(979) Gelfarb, L., A. Distelfeld, K. Neufeld, D. Lewinsohn, E. Nevo and T. Fahima. 2005. Fine mapping of the stripe-rust resistance gene *Yr15* originated in wild emmer wheat, *Triticum dicoccoides*. (Abstract). Fiseb congress (Ilanit), Eilat, Feb. 7-10, 2005.
- 260.(982) Belyayev A., O. Raskina and E. Nevo. 2005. Variability of the chromosomal distribution of Ty3-gypsy retrotransposons in the populations of two wild Triticeae species. Cytogenet Genome Res. 109:43-49.
- 261.(983) Nevo E., A. Beharav, R.C. Meyer, C.A. Hackett, B.P. Forster, J.R. Russell, L. Handley and W. Powell. 2005. Genomic microsatellite adaptive divergence of wild barley by microclimatic stress in "Evolution Canyon", Israel. Biol. J. Linn. Soc. 84:205-224.
- 262.(989) Kuang, H., S-S Woo, B. Meyers, E. Nevo and R.W. Michelmore. Multiple genetic processes result in heterogeneous rates of evolution within the major cluster disease resistance genes in lettuce. Plant J. 16:2870-2894.
- 263.(994) Peleg, Z., T. Fahima, S. Abbo, T. Krugman, E. Nevo, D. Yakir and Y. Saranga. 2005. Genetic diversity for drought resistance in wild wheat and its ecogeographical associations. Plant, Cell Environ. 28:176-191.
- 264.(996) Peleg, Z., Y. Saranga, S. Abbo, T. Krugman, E. Nevo and T. Fahima. 2005. Microsatellites diversity associated with drought resistance and ecogeographical parameters in wild emmer wheat populations from Israel. (Abstract). Plant Genomics European Meetings. 20-23 Sept. 2005, Amsterdam, the Netherlands.

265. (998) Zhang, F., G. Chen, Q. Huang, O. Orion, T. Krugman, T. Fahima, A.B. Korol, E. Nevo and Y. Gutterman. 2005. Genetic basis of barley caryopsis dormancy and seedling desiccation tolerance at the germination stage. *Theor. Appl. Genet.* 110:445-453.
266. (1023) Jun, Y., F. Zhang, E. Nevo and Y. Gutterman. 2005. Caryopsis dormancy and seedling drought tolerance of wild barley, *Hordeum spontaneum*, at "Evolution Canyon" microsite, Israel. (Abstract). 4<sup>th</sup> Ilanit FASEB Congress, Eilat, February, 2005.
267. (1031) Beharav, A., D. Lewinsohn, A. Lebeda and E. Nevo. 2006. New wild genetic resources with resistance against *Bremia lactucae*. *Genet. Resour. Crop Evol.* 53:467-474.

## **2006**

268. (1032) Peleg, Z., T. Fahima, A.B. Korol, S. Abbo, T. Krugman, A. Avneri, M.S.Röder, E. Nevo, D. Yakir and Y. Saranga. 2006. Genomic dissection of drought resistance in wild emmer wheat x durum wheat population. (Abstract). Plant & Genomes XIV Conference, January 14-18, 2006, San Diego, CA, USA.
269. (1033) Krugman, T., T. Suprunova, Z. Peleg, Y. Saranga, A.B. Korol, E. Nevo and T. Fahima. 2006. Expression patterns of drought resistance candidate genes in wild barley (*Hordeum spontaneum*) and wild wheat (*Triticum dicoccoides*) from Israel. (Abstract). Plant & Genomes XIV Conference, January 14-18, 2006, San Diego, CA, USA.
270. (1045) Wei, Y.M., B.R. Baum, E. Nevo and Y.L. Zheng. 2005. (Published on the NRC Research Press Web site on 1 February 2006). Does domestication mimic speciation? 1. A population-genetic analysis of *Hordeum spontaneum* and *Hordeum vulgare* based on AFLP and evolutionary considerations. *Can. J. Bot.* 83:1496-1512.
271. (1046) Nevo, E. 2006. Genome evolution of wild cereal diversity and prospects for crop improvement. *Plant Genet. Resour.* 4(1):36-46.
272. (1048) Altinkut, A., V. Kosteruba, V.M. Kirzhner, E. Nevo, O. Raskina and A. Belyayev. 2006. *Ac*-like transposons in populations of wild diploid Triticeae species: comparative analysis of chromosomal distribution. *Chromosome Res.* 14:307-317.
273. (1055) Altinkut, A., O. Raskina, E. Nevo and A. Belyayev. 2006. *En/Spm*-like transposons in Poaceae species: transposase sequences variability and chromosomal distribution. *Cell. Mol. Biol. Lett.* 11(2):214-229.
274. (1056) Lupu, A., E. Nevo, I. Zamorzaeva and A.B. Korol. 2006. Ecological–genetic feedback in DNA repair in wild barley, *Hordeum spontaneum*. *Genetica* 127:121-132.
275. (1057) Fahima, T., J.P. Cheng, J.H. Peng, E. Nevo and A.B. Korol. 2006. Asymmetric distribution of disease resistance genes and domestication syndrome QTLs in tetraploid wheat genome. (Abstract). ISPMB, 8<sup>th</sup> Int. Congress of Plant Molecular Biology, 20-26 August 2006, Adelaide, Australia.
276. (1059) Long, H., Y. Wei, Z. Yan, B. Baum and E. Nevo. 2006. Analysis and validation of genome-specific DNA variations in 5' flanking conserved sequences of wheat low-molecular-weight glutenin subunit genes. *Science in China Series C: Life Sci.* 49(4):322-331.
277. (1060) Sela, H., E. Nevo and T. Fahima. 2006. Nucleotide diversity of the wheat Leaf Rust resistance gene *Lr10* in wild emmer wheat populations from Israel. (Abstract). 5 Plant Genomics European Meetings, 11-14 October 2006 Venice, Italy.
278. (1064) Yaniv, E., L. Gelfarb, A. Distelfeld, A. Korol, E. Nevo and T. Fahima. 2006. Wheat-rice colinearity at the *Yr15* stripe rust resistance gene region in tetraploid wheat. (Abstract). 5 Plant Genomics European Meetings, 11-14 October 2006, Venice, Italy.

**279.**(1075) Kuang, H., O.E. Ochoa, E. Nevo and R.W. Michelmore. 2006. The disease resistance gene *Dm3* is infrequent in natural populations of *Lactuca serriola* due to deletions and frequent gene conversions. *Plant J.* 47:38-48.

**280.**(1077) Altinkut, A., A. Distelfeld, S. Wiening, T. Fahima and E. Nevo. Cloning and characterization of WZX2 gene in wild barley, *Hordeum spontaneum*. (Abstract). FEBS Conference, Istanbul, 24-29 June 2006.

## **2007**

**281.**(1084) Cronin, J.K., P.C. Bundock, R.J. Henry and E. Nevo. 2007. Adaptive climatic molecular evolution in wild barley at the *lsa* defense locus. *Proc. Natl. Acad. Sci. USA* 104(8):2773-2778.

**282.**(1089) Wang, J-R., L. Zhang, Y-M. Wei, Z-H. Yan, B.R. Baum, E. Nevo and Y-L Zheng. 2007. Sequence polymorphisms and relationships of dimeric  $\alpha$ -amylase inhibitor genes in the B genomes of *Triticum* and S genomes of *Aegilops*. *Plant Sci.* 173:1-11.

**283.**(1090) Suprunova, T., T. Krugman, A. Distelfeld, T. Fahima, E. Nevo and A.B. Korol. 2007. Identification of a novel gene (*Hsdr4*) involved in water-stress tolerance in wild barley. *Plant Mol. Biol.* 64:17-34.

**284.**(1112) Petrželova, I., A. Lebeda, E. Nevo and A. Beharav. 2007. Variation of response against *Bremia lactucae* in natural populations of *Lactuca saligna*. In: *Advances in Downy Mildew Research*, Vol. 3. A. Lebeda and P.T.N. Spencer-Phillips (eds.). Palacký University in Olomouc and JOLA, v.o.s., Kostelec na Hané, Czech Republic.

**285.** (1129) Beharav, A., A. Lebeda, I. Petrželova, I. Doležalova and E. Nevo. 2007. Variation in response to *Bremia lactucae* through natural populations of *Lactuca saligna* collected in Israel. (Abstract). *Eucarpia Leafy Vegetables*, April 18-20, Warwick, UK, p. 9.

**286.** (1130) Kitner, M., A. Lebeda, I. Doležalova, E. Křístkova, A. Beharav, E. Nevo, T. Pavlíček, M. Maras and V. Meglic. 2007. AFLP analysis of *Lactuca saligna* germplasm collections from four European and three Near East countries. (Abstract). *Eucarpia Leafy Vegetables*, April 18-20, Warwick, UK, p. 14.

**287.** (1131) Peleg, Z., Y. Saranga, S. Abbo, T. Krugman, E. Nevo and T. Fahima. 2007. Genetic diversity in wild emmer wheat across natural aridity gradient and priorities for conservation. (Abstract). *The Aaronsohn-ITMI Int. Conference*, 16-20 April, 2007, Tiberias, Israel.

**288.** (1132) Belyayev A., R. Kalendar, L. Brodsky, A.H. Schulman, O. Raskina and E. Nevo. 2007. The dynamics of transposable elements in time: impact on marginal population of *Aegilops speltoides*. (Abstract). *The Aaronsohn-ITMI Int. Conference*, 16-20 April, 2007, Tiberias, Israel.

**289.** (1133) Schmid, K, E. Nevo and A.B. Korol. 2007. Population genetic analysis of DNA sequence polymorphism in wild barley *Hordeum spontaneum* accessions from the Evolution Canyon and other localities in Israel. (Abstract). *The Aaronsohn-ITMI Int. Conference*, 16-20 April, 2007, Tiberias, Israel.

**290.** (1134) Nevo, E. 2007. Ecological genomics of wild cereals in their center of origin and diversity in the fertile crescent. (Abstract). *The Aaronsohn-ITMI Int. Conference*, 16-20 April, 2007, Tiberias, Israel.

- 291.** (1135) Yaniv, E., L. Gelfarb, A. Distelfeld, A.B. Korol, E. Nevo and T. Fahima. 2007. Wheat-rice colinearity at the *YR15* stripe rust resistance gene region in tetraploid wheat. (Abstract). The Aaronsohn-ITMI Int. Conference, 16-20 April, 2007, Tiberias, Israel.
- 292.** (1136) Peleg, Z., Y. Saranga, T. Fahima, A. Yazici, L. Ozturk, E. Nevo and I. Cakmak. 2007. Genotype x environment interaction efficiency in wild emmer wheat. (Abstract). The Aaronsohn-ITMI Int. Conference, 16-20 April, 2007, Tiberias, Israel.
- 293.** (1137) Krugman, T., Z. Peleg, Y Saranga, B. Chalhoub, V. Chague, S. Balzergue, N. Boudet, L Brodsky, A.B. Korol, E. Nevo and T. Fahima. 2007. Identification of potential candidate genes for drought resistance in wild emmer wheat by microarray analysis. (Abstract). The Aaronsohn-ITMI Int. Conference, 16-20 April, 2007, Tiberias, Israel.
- 294.**(1138) Chen, G., T. Krugman, T. Fahima, A.B. Korol, E. Nevo and T. Komatsuda. 2007. Characterization of the *eibil* gene in Israeli wild barley (*Hordeum spontaneum*). (Abstract). The Aaronsohn-ITMI Int. Conference, 16-20 April, 2007, Tiberias, Israel.
- 295.** (1147) Wang, J-R, Z-H. Yan, Y-M. Wei, E. Nevo, B.R. Baum and Y-L. Zheng. 2007. Molecular characterization of dimeric alpha-amylase inhibitor genes in wheat and development of genome allele-specific primers for the genes located on chromosome 3BS and 3DS. *J. Cereal Sci.* 43 (2006):360-368.

## **2008**

- 296.**(1151) Peleg, Z., Y. Saranga, T. Krugman, S. Abbo, E. Nevo and T. Fahima. 2008. Allelic diversity associated with aridity gradient in wild emmer wheat populations. *Plant, Cell Environ.* 31:39-49.
- 297.**(1154) c) Yaniv, E., L. Gelfarb, A. Distelfeld, A.B. Korol, E. Nevo and T. Fahima. 2008. Wheat-rice colinearity at the *Yr15* stripe rust resistance gene region in tetraploid wheat. (Abstract). The 5<sup>th</sup> Congress of the Federation of the Israel Societies for Experimental Biology (FISEB), January 28-31, 2008, Eilat, Israel.
- 298.** (1157) a) Nevo, E. 2008. Genetic resources for crop improvement from wild cereals and Dead Sea filamentous fungi. (Abstract). *Plant & Animal Genomes XVI Conference*, January 12-16, 2008, San Diego, CA, USA.
- c) Sela, H., E. Nevo and T. Fahima. 2008. Identification of new alternative splicing site in the leaf rust resistance gene *Lr10* in wild emmer wheat. (Abstract). *Plant & Animal Genomes XVI Conference*, January 12-16, 2008, San Diego, CA, USA.
- 299.** (1161) Kuang, H., H.J. van Eck, D. Sicard, R. Michelmore and E. Nevo. 2008. Evolution and genetic population structure of prickly lettuce (*Lactuca serriola*) and its *RGC2* resistance gene cluster. *Genetics* 178:1547-1558.
- 300.** (1170) Raskina, O., J.C. Barber, E. Nevo and A. Belyayev. 2008. Repetitive DNA and chromosomal rearrangements: speciation-related events in plant genomes. *Cytogenet. Genome Res.* 120:351-357.
- 301.** (1173) Verhoeven, K.J.F., H. Poorter, E. Nevo and A. Biere. 2008. Habitat-specific natural selection at a flowering-time QTL is a main driver of local adaptation in two wild barley populations. *Mol. Ecol.* 17:3416-3424.



- 302.**(1174) Chu, C.-G., S.S. Xu, J.D. Faris, E. Nevo and T.L. Friesen. 2008. Seedling resistance to tan spot and *Stagonospora nodorum* leaf blotch in wild emmer wheat (*Triticum dicoccoides*). Plant Disease/August 2008, pp.1229-1236.
- 303.**(1176)\* Nevo, E. 2004. Population genetic structure of wild barley and wheat in the Near East Fertile Crescent: regional and local adaptive. In: P.K. Gupta and R.K. Varshney (eds.). *Cereal Genomics*. Pp. 135-163.
- 304.**(1177)\* Vanhala, T., C.P.E. van Rijn, J. Buntjer, P. Stam, E. Nevo, H. Poorter and F.A. van Eeuwijk. 2004. Environmental, Phenotypic and genetic variation of wild barley (*Hordeum spontaneum*) from Israel. *Euphytica* 137:297-309.
- 305.**(1178)\* Long, H., Y-M Wei, Z-H. Yan, B. Baum, E. Nevo and Y-L. Zheng. 2005. Classification of wheat low-molecular-weight glutenin subunit genes and its chromosome assignment by developing LMW-GS group-specific primers. *Theor. Appl. Genet.* 11:1251-1259.
- 306.** (1182) Wang, J-R., Y-M Wei, X-Y Long, Z-H Yan, E. Nevo, B.R. Baum and Y-L Zheng. 2008. Molecular evolution of dimeric  $\alpha$ -amylase inhibitor genes in wild emmer wheat and its ecological association. *BMC Ecol. Biol.* 8:91.
- 307.**(1183) Ji, X., C. Xie, Z. Ni, T. Yang, E. Nevo, T. Fahima, Z. Liu and Q. Sun. 2008. Identification and genetic mapping of a powdery mildew resistance gene in wild emmer (*Triticum dicoccoides*) accession IW72 from Israel. *Euphytica* 159:385-390.
- 308.**(1185) Xie, W. and E. Nevo. 2008. Wild emmer: genetic resources, gene mapping and potential for wheat improvement. *Euphytica* 164:603-614.
- 309.**(1191) Chen, G., C. Li, Y. Shi and E. Nevo. 2008. Wild barley, *Hordeum spontaneum*, a genetic resource for crop improvement in cold and arid regions. *Sciences in Cold and Arid Regions*, December 2008, pp. 115-124.
- 310.**(1196)\* Nevo, E. 2007. Evolution of wild wheat and barley and crop improvement: studies at the Institute of Evolution. *Isr. J. Plant Sci.* 55:251-262.

## 2009

- 311.** (1206) Chen, G., T. Komatsuda, M. Pourkheirandish, M. Sameri, K. Sato, T. Krugman, T. Fahima, A.B. Korol and E. Nevo. 2009. Mapping of the *eib1* gene responsible for the drought hypersensitive cuticle in wild barley (*Hordeum spontaneum*). *Breed. Sci.* 59:21-26.
- 312.**(1208) Yang, Z., T. Zhang, A. Bolshoy, A. Beharav and E. Nevo. 2009. Adaptive microclimatic structural and expressional dehydrin 1 evolution in wild barley, *Hordeum spontaneum*, at "Evolution Canyon", Mount Carmel, Israel. *Mol. Ecol.* 18:2063-2075.
- 313.** (1210)\* Kitner, M., A. Lebeda, I. Doležalova, M. Maras, E. Křistkova, E. Nevo, T. Pavliček, V. Meglic and A. Beharav. 2008. AFLP analysis of *Lactuca saligna* germplasm collections from four European and three Middle Eastern countries. *Isr. J. Plant Sci.* 56:185-193.
- 314.** (1211) \* Yan, J., G. Chen, J. Cheng, E. Nevo and Y. Gutterman. 2008. Phenotypic variation in caryopsis dormancy and seedling salt tolerance in wild barley, *Hordeum spontaneum*, from different habitats in Israel. *Genet. Resour. Crop Evol.* 55:995-1005.
- 315.**(1217) Nevo, E. 2009. Ecological genomics of natural plant populations: the Israeli perspective. In: *Methods in Molecular Biology, Plant Genomics, Vol. 513*. D.J. Somers, P. Langridge and J.P. Gustafson (eds.). Human Press, a part of Springer Science+Business Media, pp. 321-344.

- 316.**(1219) Gustafson, P., O. Raskina, X. Ma and E. Nevo. 2009. Wheat evolution, domestication, and improvement. In: B.F. Carver (ed.) *Wheat: Science and Trade*. Wiley-Blackwell, pp. 5-30.
- 317.** (1223) Dong, P., Y-M. Wei, G-Y. Chen, W. Li, E. Nevo and Y-L. Zheng. 2009. Resistance gene analog polymorphisms (RGAPs) in wild emmer wheat (*Triticum dicoccoides*) and their ecological associations. *Genet. Resour. Crop Evol.* 56:121-136.
- 318.** (1224) Cheng, J., F. Wang, J. Yan, T. Xiao, Z. Ning, G. Chen and E. Nevo. 2009. Natural variation in grain selenium concentration derived from Israeli wild barley, *Hordeum spontaneum* (Abstract). 6<sup>th</sup> Int. Triticeae Symposium, May 2009, Kyoto, Japan.
- 319.** (1225) Li, G., T. Fang, H. Zhang, C. Xie, H. Li, T. Yang, E. Nevo, T. Fahima, Q. Sun and Z. Liu. 2009. Molecular identification of a new powdery mildew resistance gene *Pm41* on chromosome 3BL derived from wild emmer (*Triticum turgidum* var. *dicoccoides*). *Theor. Appl. Genet.* 119:531-539.
- 320.** (1229) Timmusk, S., V. Paalme, U. Lagercrantz and E. Nevo. 2009. Detection and quantification of *Paenibacillus polymyxa* in the rhizosphere of wild barley (*Hordeum spontaneum*) with real-time PCR. *J. Appl. Microbiol.* 107:736-745.
- 321.** (1233) Doležalová, I., T. Pavlíček, N. Gasmanová, E. Nevo, I. Hammerová and A. Lebeda. 2009. Microgeographic genome size differentiation of the wild barley, *Hordeum spontaneum*, at "Evolution Canyon", Israel and multispecies comparison. (Abstract). In: Šperková, R. (ed.). *Analytical Cytometry V. International Conference*. September 5-8, 2009, Olomouc, Czech Republic, pp. 158-159.
- 322.**\*(1234) Krugman, T., T. Suprunova, Z. Peleg, S. Yehoshua, A.B. Korol, E. Nevo and T. Fahima. 2005. Identification of drought resistance candidate genes in wild emmer wheat (*Triticum dicoccoides*) and wild barley (*Hordeum spontaneum*) from Israel using cDNA-AFLP analysis. (Abstract). Interdrought II, September 2005, Rome, Italy.
- 323.** (1238) Chen, G., M. Pourkheirandish, M. Sameri, N. Wang, S. Nair, Y. Shi, C. Li, E. Nevo and T. Komatsuda. 2009. Genetic targeting of candidate genes for drought sensitive gene *eibi1* of wild barley (*Hordeum spontaneum*). *Breeding Sci.* 59:637-644.
- 324.** (1239) Krugman, T., Z. Peleg, V. Chague, S. Balzergue, K. Just, A.B. Korol, E. Nevo, Y. Saranga, B. Chalhoub and T. Fahima. 2009. Differential gene expression in roots of wild emmer wheat genotypes contrasting in drought resistance. (Abstract). Interdrought III, October 11-16<sup>th</sup>, Shanghai, China.

## 2010

- 325.** (1243) Chen, G., T. Krugman, T. Fahima, K. Chen, Y. Hu, M. Röder, E. Nevo and A.B. Korol. 2010. Chromosomal regions controlling seedling drought resistance in Israeli wild barley, *Hordeum spontaneum* C. Koch. *Genet. Resour. Crop Evol.* 57:85-99.
- 326.** (1244) Belyayev, A., R. Kalendar, L. Brodsky, E. Nevo, A.H. Schulman and O. Raskina. 2010. Transposable elements in a marginal plant population: temporal fluctuations provide new insights into genome evolution of wild diploid wheat. *Mobile DNA* 1:6.
- 327.** (1246) She, K., Y.G. Hu, X. Du, E. Nevo and S. Weining. 2010. One site vs the the world-the genetic diversity of one natural population of wild barley compared to barley varieties from different countries. (Abstract). 2<sup>nd</sup> Symposium on Genomics of Plant Genetic Resources. April 24-27, 2010. Bologna, Italy.
- 328.** (1250) Wang, J-R., E. Nevo, R.J. Henry, D. Liu, Y-L. Zheng and Y-M. Wei. 2010. SNPs mining and adaptive evolution of amy2 genes in wild barley populations from Israel. (Abstract). 2<sup>nd</sup> Int. Symposium on Genomics of Plant Genetic Resources, April 24-27, 2010, Bologna, Italy.

- 329.** (1251) Li, Y., L. Brodsky, Y.X. Jin and E. Nevo. 2010. Characterization of small RNA transcriptome in wild barley, *Hordeum spontaneum*, at "Evolution Canyon" I, Mount Carmel, Israel. (Abstract). 2<sup>nd</sup> Int. Symposium on Genomics of Plant Genetic Resources, April 24-27, 2010, Bologna, Italy.
- 330.** (1252) Li, G., Y. Liu, T.Zhang, Z. Yang and E. Nevo. 2010. Adaptive microclimatic evolution of the dehydrin 6 gene in wild barley at "Evolution Canyon", Israel. (Abstract). 2<sup>nd</sup> Int. Symposium on Genomics of Plant Genetic Resources, April 24-27, 2010, Bologna, Italy.
- 331.** (1253) Nevo, E. and G. Chen. 2010. Drought and salt tolerances in wild relatives for wheat and barley improvement. *Plant Cell Environ.* 33:670-685.
- 332.** (1254) Dong, P., Y-M. Wei, G-Y Chen, W. Li, J-R. Wang and E. Nevo. 2010. Sequence-related amplified polymorphism (SRAP) of wild emmer wheat (*Triticum dicoccoides*) in Israel and its ecological association. *Biochem. Syst. Ecol.* 38:1-11.
- 333.** (1255) Li, W-T., X. Huang, J-R. Wang, G-Y. Chen, E. Nevo, Y-L. Zheng and Y-M. Wei. 2010. Genetic analysis and ecological association of *Hina* genes based on single nucleotide polymorphisms (SNPs) in wild barley, *Hordeum spontaneum*. *Hereditas* 147:18-26.
- 334.** (1256) Dong, P., Y-M. Wei, G-Y. Chen, W. Li, J-R. Wang , E. Nevo and Y-L. Zheng. 2009. EST-SSR diversity correlated with ecological and genetic factors of wild emmer wheat in Israel. *Hereditas* 146:1-10.
- 335.** (1258) Wang, J-R., Y-M. Wei, M. Deng, E. Nevo, Z-H. Yan and Y-L. Zheng. 2010. The impact of single nucleotide polymorphism in monomeric alpha-amylase inhibitor genes from wild emmer wheat, primarily from Israel and Golan. *BMC Evolutionary Biology* 10:170.
- 336.** (1262) Cheng, J., J. Yan, H. Sela, J. Manisterki, D. Lewinsohn, E. Nevo and T. Fahima. 2010. Pathogen race determines the type of resistance response in the stripe rust-*Triticum dicoccoides* pathosystem. *Physiologia Plantarum* 139:269-279.
- 337.** (1268) Krugman, T., V. Chague, Z. Peleg, S. Balzergue, J. Just, A.B. Korol, E. Nevo, Y. Saranga, B. Chalhoub and T. Fahima. 2010. Multilevel regulation and signaling processes associated with adaptation to terminal drought in wild emmer wheat. *Func. Inegr. Genom.* 10:167-186.
- 338.** (1270) Nevo, E. 2010. Stress and evolution at micro-and macroscales. (Abstract). "Chance and necessity in Evolution". An Int. Meeting honoring Jacques Monod on the 100<sup>th</sup> anniversary of his birthday and the 40<sup>th</sup> anniversary of his book. 20-22 October 2010, Ravello, Italy.
- 339.** (1272) Li, C., A. Wang, X.Y. Ma, E. Nevo and G.X. Chen. 2010. Consensus maps of cloned plant cuticle gens. *Sciences in Cold and Arid Regions* 2(6):0465-0476.
- 340.** (1273) Shavrukov, Y., P. Langridge, M. Tester and E. Nevo. 2010. Wide genetic diversity of salinity tolerance, sodium exclusion and growth in wild emmer wheat, *Triticum dicoccoides*. *Breeding Sci.* 60:426-435.
- 341.** (1282) Shen, Y., E.P. Lansky and E. Nevo. 2010. Wild barley-harbinger of biodiversity. *Biodiversity* 11(3&4):19-25.

## 2011

- 342.** (1276) Sela, H., C. Loutre, B. Keller, A. Schulman, E. Nevo, A.B. Korol and T. Fahima. 2011. Rapid linkage disequilibrium decay in the *Lr10* gene in wild emmer wheat (*Triticum dicoccoides*) populations. *Theor. Appl. Genet.* 122:175-187.
- 343.** (1286) Nevo, E. 2011. *Triticum*. In: *Wild Crop Relatives: Genomic and Breeding Resources, Cereals*. C. Kole (ed.). Springer-Verlag Berlin Heidelberg, pp. 407-456.

344. (1287) Timmusk, S., V. Paalme, T. Pavlicek, J. Bergquist, A. Vangala, T. Danilas and E. Nevo. 2011. Bacterial distribution in the rhizosphere of wild barley under contrasting microclimates. PLoS ONE 6(3):e17968.
345. (1288) Nevo, E. and A. Beiles. 2011. Genetic variation in nature. Scholarpedia 6(7):8821.
346. (1294) Chen, G., T. Komatsuda, J.F. Ma, C. Nawrath, M. Pourkheirandish, A. Tagiri, Y-G. Hu, M. Sameri, X. Li, X. Zhao, Y. Liu, C. Li, X. Ma, A. Wang, S. Nair, N. Wang, A. Miyao, S. Sakuma, N. Yamaji and X. Zheng. 2011. An ATP-binding cassette subfamily G full transporter is essential for the retention of leaf water in both wild barley and rice. Proc. Natl. Acad. Sci. USA 108(30):12354-12359.
347. (1296) Jun, Y., F. Wang, H. Qin, G. Chen, E. Nevo, T. Fahima and J. Cheng. 2011. Natural variation in grain selenium concentration of wild barley, *Hordeum spontaneum*, populations from Israel. Biol. Trace Elem Res. 142:773-786.
348. (1297) Peng, J.H., D. Sun and E. Nevo. 2011. Domestication evolution, genetics and genomics in wheat. Mol. Breeding 28:281-301.
349. (1299) Tomita, M., A. Okutani, A. Beiles and E. Nevo. 2011. Genomic, RNA, and ecological divergences of the Revolver transposon-like multi-gene family in Triticeae. BMC Evol. Biol. 11:269.
350. (1300) Peng, J., D. Sun and E. Nevo. 2011. Wild emmer wheat, *Triticum dicoccoides*, occupies a pivotal position in wheat domestication process. Australian J. Crop Sci. 5(9):1127-1143.
351. (1304) Nevo, E. 2011. Evolution under environmental stress at macro-and microscales. Genome Biol. Evol. 2:1039-1052.
352. (1310) Krugman, T., Z. Peleg, L. Quansah, V. Chagué, A.B. Korol, E. Nevo, Y. Saranga, A. Fait, B. Chalhoub and T. Fahima. 2011, Alteration in expression of hormone-related genes in wild emmer wheat roots associated with drought adaptation mechanisms. Funct. Integr. Genomics 11:565-583.
353. (1311) Savchenko, K.G., V.P. Heluta, S.P. Wasser and E. Nevo. 2011. A contribution to the study of smut fungi of Israel. Mycotaxon 118:303-309.
354. (1312) Shen, Y., K. Lebold, E.P. Lansky, M.G. Traber and E. Nevo. 2011. "Tocol-omic" diversity in wild barley. Chem. Biodiversity 8:2322-2330.
355. (1313) Wang, J-R., M. Den, Y-X Liu, X. Qiao, Z-H. Chen, Q-T. Jiang, Z-E. Pu, Y-M. Wei, E. Nevo and Y-L. Zheng. 2011. Adaptive polymorphism of tetrameric alpha-amylase inhibitors in wild emmer wheat. Genes & Genomics 33:357-364.

## 2012

356. (1314) Shen, Y., M. Traber, K. Lebold, J. Kopka, A. Erban, E. Nevo and E. Lansky. 2012. Metabolomic diversity in wild barley. (Poster). 11<sup>th</sup> Int. Barley Genetics Symposium (IBGS), April 15-20, Hangzhou, China.
357. (1318) Nevo, E. 2012. Adaptive evolution of wild barley, *Hordeum spontaneum*, and crop improvement. (Abstract). 11<sup>th</sup> Int. Barley Genetics Symposium (IBGS), April 15-20, Hangzhou, China.
358. (1321) Sela, H., L.N. Spiridon, A-J. Petrescu, M. Akerman, Y. Mandel-Gutfreund, E. Nevo, C. Loutre, B. Keller, a.H. Schulman and T. Fahima. 2012. Ancient diversity of splicing motifs and protein surfaces in the wild emmer wheat (*Triticum dicoccoides*) LR10 coiled coil (CC) and leucine-rich repeat (LRR) domains. Mol. Plant Pathol. 13(3):276-287.

- 359.\*** (1322) Fitzgerald, T.L., F. M. Shapter, S. McDonald, D.L.E. Waters, I.H. Chivers, A. Drenth, E. Nevo and R.J. Henry. 2011. Genome diversity in wild grasses under environmental stress. *Proc. Natl. Acad. Sci. USA* 108(52):21140-21145.
- 360.** (1323) Nevo, E., Y-B. Fu, T. Pavlicek, S. Khalifa, M. Tavasi and A. Beiles. 2012. Evolution of wild cereals during 28 years of global warming in Israel. *Proc. Natl. Acad. Sci. USA* 109(9):3412-3415.
- 361.** (1325) Nevo, E. 2012. Evolution of wild barley and barley improvement. In: *Advance in Barley Sciences*. C. Li, G. Zhang, X. Liu and J. Eglinton (eds.). Proceedings of 11<sup>th</sup> Int. Barley Genetics Symposium. Zhejiang University Press- Springer, pp. 1-16.
- 362.** (1330) Yan, J., Y. Wang, E. Nevo, Y. Gutterman and J.P. Cheng. 2012. Effects of partial endosperm removal on embryo dormancy breaking and salt tolerance of *Hordeum spontaneum* seeds. *Russ. J. Plant Physiol.* 59(3):423-427.
- 363.** (1331) Lebeda, A., E. Křístková, I. Doležalová, M. Kitner, I. Petrželová, B. Mieslerová, P. Korbelová, Z. Matoušková, B. Vafková, A. Beharav, E. Nevo, R. Ben-David, V. Meglic and M. Maras. 2012. Biodiversity of *Lactuca saligna* and its exploitation in lettuce breeding. (Abstract). In: Bedö, Z., Láng, L. (eds.): *Plant Breeding for Future Generations*. Proceedings of the 19th EUCARPIA General Congress, 21-24 May 2012, Budapest, Hungary. Agricultural Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, Martonvásár, Hungary, p. 257.
- 364.** (1332) Zhu, T., E. Nevo, D. Sun and J. Peng. 2012. Phylogenetic analyses unravel the evolutionary history of NAC proteins in plants. *Evolution* 66(6):1833-1848.
- 365.\***(1336) Yang, Z., T. Zhang, G. Li and E. Nevo. 2011. Adaptive microclimatic evolution of the dehydrin 6 gene in wild barley at "Evolution Canyon", Israel. *Genetica* 139:1429-1438.
- 366.** (1338) Dai, F., E. Nevo, D. Wu, J. Comadran, M. Zhou, L. Qiu, Z. Chen, A. Beiles, G. Chen and G. Zhang. 2012. Tibet is one of the centers of domestication of cultivated barley. *Proc. Natl. Acad. Sci. USA* 109(42): 16969-16973.
- 367.** (1340) Ma, X., H. Sela, G. Jiao, C. Li, A. Wang, M. Pourkheirandish, D. Weiner, S. Sakuma, T. Krugman, E. Nevo, T. Komatsuda, A.B. Korol and G. Chen. 2012. Population-genetic analysis of *HvABCG31* promoter sequence in wild barley (*Hordeum vulgare* ssp. *spontaneum*). *BMC Evol. Biol.* 12:188.
- 368.** (1341) Ma, X., C. Li, A. Wang, R. Duan, G. Jiao, E. Nevo and G. Chen. 2012. Genetic diversity of wild barley (*Hordeum vulgare* ssp. *spontaneum*) and its utilization for barley improvement. *Sciences in Cold and Arid Regions* 4(6):0453-0461.

## **2013**

- 369.** (1349) Li, C., A. Wang, X. Ma, M. Pourkheirandish, S. Sakuma, N. Wang, S. Ning, E. Nevo, C. Nawrath, T. Komatsuda and G. Chen. 2013. An *eceriferum* locus, *cer-zv*, is associated with a defect in cutin responsible for water retention in barley (*Hordeum vulgare*) leaves. *Theor. Appl. Genet.* 126:637-646.
- 370.** (1350) Li, C., X. Ma, A. Wang, E. Nevo and G. Chen. 2013. Genetic mapping of cuticle-associated genes in barley. *Cereal Res. Commun.* 41(1):23-34.
- 371.** (1356) Ren, X., E. Nevo, D. Sun and G. Sun. 2013. Tibet as a potential domestication center of cultivated barley of China. *PLoSOne* 8(5):e62700.
- 372.** (1360) Ren, J., D. Sun, L. Chen, F.M. You, J. Wang, Y. Peng, E. Nevo, D. Sun, M.C. Luo and J. Peng. 2013. Genetic diversity revealed by single nucleotide polymorphism markers in a worldwide germplasm collection of durum wheat. *Int. J. Mol. Sci.* 14(4):7061-7088.

- 373.** (1362) Ren, J., L. Chen, D. Sun, F.M. You, J. Wang, Y. Peng, E. Nevo, A. Beiles, D. Sun, M-C. Luo and J. Peng. 2013. SNP-revealed genetic diversity in wild emmer wheat correlates with ecological factors. *BMC Evol. Biol.* 13:169.
- 374.** (1364) Ren, J., R. Guo, L. Chen, E. Nevo, Z. Zhang, D. Sun and J. Peng. 2013. Single nucleotide polymorphisms of *fad2* gene from tung tree, *Vernicia fordii*, a potential biodiesel plant. *Euphytica* 194:93-107.
- 375.** (1365) Yang, Z., T. Zhang, T. Lang, G. Li, G. Chen and E. Nevo. 2013. Transcriptome comparative profiling of barley *eib1* mutant reveals pleiotropic effects of *HvABCG31* gene on cuticle biogenesis and stress responsive pathways. *Int. J. Mol. Sci.* 14:20478-20491.
- 376.** (1366) Yehuda, G., S.S. Barinova, T. Krugman, T. Pavlicek, Y. Nov, E. Nevo. 2013. Microscale adaptive response of charophytes of the Negev Desert, Israel: species divergences by AFLP. *Nat. Resour. Conserv.* 1(3):55-64.
- 377.** (1367) Chen, L., J. Ren, H. Shi, X. Chen, M. Zhang, Y. Pan, J. Fan, E. Nevo, D. Sun, J. Fu and J. Peng. 2013. Physiological and molecular responses to salt stress in wild emmer and cultivated wheat. *Plant Mol. Biol. Rep.* 31:1212-1219.

## 2014

- 378.** (1375) Savchenko, K., V.P. Heluta, S.P. Wasser and E. Nevo. 2014. Rust fungi (Pucciniales) of Israel. I. All genera except *Puccinia* and *Uromyces* with *Caecoma origani* sp. nov. *Nova Hedwigia* 98(1-2):163-178.
- 379.** (1376) Chen, G., J. Zhao, X. Zhao, P. Zhao, R. Duan, E. Nevo and X. Ma. 2014. A psammophyte *Agriophyllum squarrosum* (L.) Moq.: a potential food crop. *Genet. Resour. Crop. Evol.* 61:669-676.
- 380.** (1381) Savchenko, K.G., V.P. Heluta, S.P. Wasser and E. Nevo. 2014. Rust fungi (Pucciniales) of Israel. II. The genus *Uromyces*. *Nova Hedwigia* 98 (3-4):393-407.
- 381.** (1382) Zhang, T., G.R. Li, Z.J. Yang and E. Nevo. 2014. Adaptive evolution of duplicated *hsp17* genes in wild barley from microclimatically divergent sites of Israel. *Genet. Mol. Res.* 13(1):1220-1232.
- 382.**(1386) Timmusk, S., I. A. Abd El-Daim, L. Copolovici, T. Tanilas, A. Kännaste, L. Behers, E. Nevo, G. Seisenbaeva, E. Stenström and U. Niinemets. 2014. Drought-tolerance of wheat improved by rhizosphere bacteria from harsh environments: enhanced biomass production and reduced emissions of stress volatiles. *PLOS ONE* 9(5):e96086.
- 383.**(1389) Henry, R.J. and E. Nevo. 2014. Exploring natural selection to guide breeding for agriculture. *Plant Biotech. J.* 12:655-662.
- 384.** (1391) Liu, Y-X., J-R. Wang, Z-H. Liu, Y. Wang, X. Chen, R.J. Henry, Y-M. Wei, E. Nevo and Y-L. Zheng. 2014. Adaptive evolution of  $\alpha$ -amylase genes in wild barley (*Hordeum spontaneum*) on micro and macro scales. *J. Syst. Evol.* 52(6):765-778.
- 385.** (1392) Savchenko, K.G., V.P. Heluta, S.P. Wasser and E. Nevo. 2014. Rust fungi (Pucciniales) of Israel. III. The genus *Puccinia*. *Nova Hedwigia* 99(1-2):27-47.
- 386.** (1393) Savchenko, K.G., L.M. Carris, L.A. Castlebury, V.P. Heluta, S.P. Wasser and E. Nevo. 2014. Revision of *Entyloma* (Entylomatales, Exobasidiomycetes) on *Eryngium*. *Mycologia* 106(4):797-810.
- 387.** (1395) Dai, F., Z-H. Chen, X. Wang, Z. Li, G. Jin, D. Wu, S. Cai, N. Wang, F. Wu, E. Nevo and G. Zhang. 2014. Transcriptome profiling reveals mosaic genomic origins of modern cultivated barley. *Proc. Natl. Acad. Sci. USA* 111(37):13403-13408.

- 388.** (1396) Savchenko, K.G., L.M. Carris, L.A. Castlebury, V.P. Heluta, S.P. Wasser and E. Nevo. 2014. Stripe smuts of grasses: one lineage or high levels of polyphyly? *Persoonia* 33:169-181.
- 389.** (1398) Bedada, G., A. Westerbergh, E. Nevo, A.B. Korol and K.J. Schmid. 2014. DNA sequence variation of wild barley *Hordeum spontaneum* (L.) across environmental gradients in Israel. *Heredity* 112:646-655.
- 390.** (1399) Nevo, E. 2014. Evolution of wild emmer wheat and crop improvement. *J. Syst. Evolut.* 52(6):673-696.
- 391.** (1400) Nevo, E. 2014. Evolution in action: adaptation and incipient sympatric speciation with gene flow across life at "Evolution Canyon", Israel. *Isr. J. Ecol. Evol.* 60(2-4):85-98.
- 392.** (1401) Hu, T., X. Sun, X. Zhang, E. Nevo and J. Fu. 2014. An RNA sequencing transcriptome analysis of the high-temperature stressed tall fescue reveals novel insights into plant thermotolerance. *BMC Genomics* 15:1147.

## **2015**

- 393.** (1403) Bhatia, D., A. Mandal, E. Nevo and A. Bishayee. 2015. Apoptosis-inducing effects of extracts from desert plants in HepG2 human hepatocarcinoma cells. *Asian Pac. J. Trop. Biomed.* 5(2):87-92.
- 394.** (1404) Zeng, X., H. Long, Z. Wang, S. Zhao, Y. Tang, Z. Huang, Y. Wang, Q. Xu, L. Mao, G. Deng, X. Yao, X. Li, L. Bai, H. Yuan, Z. Pan, R. Liu, X. Chen, Q. WangMu, M. Chen, L. Yu, J. Liang, D. DunZhu, Y. Zheng, S. Yu, Z. LuoBu, X. Guang, J. Li, C. Deng, W. Hu, C. Chen, X. TaBa, L. Gao, X. Lv, Y. Ben Abu, X. Fang, E. Nevo, M. Yu, J. Wang and N. Tashi. 2015. The draft genome of Tibetan hulless barley reveals adaptive patterns to the high stressful Tibetan Plateau. *Proc. Natl. Acad. Sci. USA* 112(4):1095-1100.
- 395.\***(1405) Pan, Y., L. Pan, L. Chen, L. Zhang, E. Nevo and J. Peng. 2013. Development of microsatellite markers in the oil-producing species *Vernicia fordii* (Euphorbiaceae) a potential biodiesel feedstock. *Appl. Plant Sci.* 1(7):1200004.
- 396.** (1406) Watts, E.J., Y. Shen, E.P. Lansky, E. Nevo, G. Bobe and M.G. Traber. 2015. High environmental stress yields greater tocotrienol content while changing vitamin E profiles of wild emmer wheat seeds. *J. Med. Food* 18(2):216-223.
- 397.** (1407) Granot, G., Y. Morgenstern, A. Khan, Y. G. Rapp, A. Pesok, E. Nevo and G. Grafi. 2015. Internucleosomal DNA fragmentation in wild emmer wheat is catalyzed by S1-type endonucleases translocated to the nucleus upon induction of cell death. *Biochimica et Biophysica Acta* 1849:239-246.
- 398.** (1408) Graham, J.H., M.J. Whitesell, M. Fleming II, H. Hel-Or, E. Nevo and S. Raz. 2015. Fluctuating asymmetry of plant leaves: batch processing with LAMINA and continuous symmetry measures. *Symmetry* 7:255-268.
- 399.** (1410) Yin, H., Y. Ben-Abu, H. Wang, A. Li, E. Nevo and L Kong. 2015. Natural selection causes adaptive genetic resistance in wild emmer wheat against powdery mildew at "Evolution Canyon" Microsite, Mt. Carmel, Israel. *PLoS One* 10(4):e0122344.
- 400.** (1411) Nevo. 2015. Evolution of wild barley at "Evolution Canyon": adaptation, speciation, pre-agricultural collection, and barely improvement. *Isr. J. Plant Sci.* 62(1-2):22-32.
- 401.**(1416) Nevo, E. 2015. Biodiversity evolution in action at "Evolution Canyon" microsite, Israel. (Abstract). Fourth International Conference on Biodiversity, June 15-17, 2015 Las Vegas, USA. *J. Ecosys. Ecograph.* 4:3

- 402.(1417) Timmusk, S., S-B. Kim, I.A. El Daim, B. Ek, J. Bergquist and L. Behers. 2015. SFP-type PPTase inactivation promotes bacterial biofilm formation and ability to enhance wheat drought tolerance. *Front. Microbiol.* 6:387.
403. (1422) Chen, L, J. Fan, L. Hu, Z. Hu, Y., Y. Xie, Y. Zhang , Y. Lou, E. Nevo and J. Fu. 2015. A transcriptomic analysis of bermudagrass (*Cynodon dactylon*) provides novel insights into the basis of low temperature tolerance. *BMC Plant Biology* 15:216.
404. (1427) Chen, L., J. Ren, H. Shi, Y. Zhang, Y. You, J. Fan, K. Chen, S. Liu, E. Nevo, J. Fu and J. Peng. 2015. *TdCBL6*, a calcineurin B-like gene from wild emmer wheat (*Triticum dicoccoides*), is involved in response to salt and low-K<sup>+</sup> stresses. *Mol. Breeding* 35(1):50.
405. (1428) Nevo, E. 2015. Evolution, let's get it right, it's "the basis of everything". In: Mazur S. (ed.) *The Paradigm Shifters*. Chapter 19, Copyright 2015 by S. Mazur ISBN: 978-0-692-52613-2, pp. 207-220.
406. (1429) Filiz, E., A. Distelfeld, T. Fahima, O. Karakaş Metin, E. Nevo, S. Weining , A. Altinkut Uncuoğlu. 2015. Barley molybdenum cofactor sulfurase (MCSU): sequencing, modeling, and its comparison to other higher plants. *Turk. J. Agric. For.* 39:786-796.
407. (1430) Nevo, E. 2015. The evolution of "wheat's mother", *Triticum dicoccoides*: ecological-genetic resources, genome sequencing, and bread wheat improvement. *Gamla Et* 33:15-35. (Hebrew, English)
408. (1431) Yin, H., X. Yan, Y. Shi, C. Qian, Z. Li, W. Zhang, L. Wang, Y. Li, X. Li, G. Chen, X. Li, E. Nevo and X-F. Ma. 2015. The role of East Asian monsoon system in shaping population divergence and dynamics of a constructive desert shrub *Reaumuria soongarica*. *Sci. Reports* 5:15823.
409. (1448) Nevo, E. 2016. Global warming and future food production. *Geoinfor. Geostat.: An Overview* 4:4.
410. (1450) Yang, Z. and E. Nevo. 2016. Heat shock proteins in wild barley at "Evolution Canyon", Mount Carmel, Israel. In: A.A.A. Asea et al. (eds.), *Heat Shock Proteins and Plants*. Springer International Publishing Switzerland, pp. 79-102.

## 2017

411. (1451) Chen, Z-H., G. Chen, F. Dai, Y. Wang, A. Hills, Y-L. Ruan, G. Zhang, P.J. Franks, E. Nevo and M.R. Blatt. 2017. Molecular evolution of grass stomata. *Trends Plant Sci.* 22(2):124-139.
412. (1452) Ren, J., L. Chen, X. Jin, M. Zhang, F.M. You, J. Wang, V. Frenkel, X. Yin, E. Nevo, D. Sun, M-C. Luo and J. Peng. 2017. Solar radiation-associated adaptive SNP genetic differentiation in wild emmer wheat, *Triticum dicoccoides*. *Front. Plant Sci.* 8:258.
413. (1455) Cai, S., G. Chen, Y. Wang, Y. Huang, D.B. Marchant, Y. Wang, Q. Yang, F. Dai, A. Hills, P.J. Franks, E. Nevo, D.E. Soltis, P.S. Soltis, E. Sessa, P.G. Wolf, D. Xue, G. Zhang, B.J. Pogson, MR. Blatt and Z-H, Chen. 2017. Evolutionary conservation of ABA signaling for stomatal closure. *Plant Physiol.* 174:732-747.
414. (1459) Jin, X., J. Ren, E. Nevo, X. Yin, D. Sun and J. Peng. 2017. Divergent evolutionary patterns of NAC transcription factors are associated with diversification and gene duplications in angiosperm. *Front. Plant Sci.* 8:1156.



- 415.** (1460) Zhou, K., P. Fleet, E. Nevo, X. Zhang and G. Sun. 2017. Transcriptome analysis reveals plant response to colchicine treatment during on chromosome doubling. *Sci. Rep.* 7:8503.
- 416.** (1461) Yan, J., P. Su, Z. Wei, E. Nevo and L. Kong. 2017. Genome-wide identification, classification, evolutionary analysis and gene expression patterns of the protein kinase gene family in wheat and *Aegilops tauschii*. *Plant Mol. Biol.* 95:227-242.
- 417.** (1468) Ben-Abu, Y., Beiles, A., Flom, D., & Nevo, E. (2018). Adaptive evolution of benzoxazinoids in wild emmer wheat, *Triticum dicoccoides*, at " Evolution Canyon", Mount Carmel, Israel. *PloS one*, 13(2), e0190424.
- 418.** (1467) Zhou, Qin, Aidong Wang, Ruijun Duan, Jun Yan, Gang Zhao, Eviatar Nevo, and Guoxiong Chen. 2017 "Comparative transcriptome profile of the leaf elongation zone of wild barley (*Hordeum spontaneum*) eibi1 mutant and its isogenic wild type." *Genetics and molecular biology* 40, no. 4: 834-843
- 419.** (1469) Dai, F., Wang, X., Zhang, X.Q., Chen, Z., Nevo, E., Jin, G., Wu, D., Li, C. and Zhang, G., 2017. Assembly and analysis of a qingke reference genome demonstrate its close genetic relation to modern cultivated barley. *Plant biotechnology journal*. 16: 760–770

## **2018**

- 420.**(1468) Ben-Abu, Y., Beiles, A., Flom, D., & Nevo, E. (2018). Adaptive evolution of benzoxazinoids in wild emmer wheat, *Triticum dicoccoides*, at " Evolution Canyon", Mount Carmel, Israel. *PloS one*, 13(2), e0190424.
- 421.**(1474) Xiaolei Wang, Zhong-Hua Chen, Chongyi Yang, Xuelei Zhang, Gulei Jin, Guang, Yuanayuan Yang, Paul Holford, Eviataer Nevo, Guoping Zhang and Fei Dai, 2018. Genomic adaptation to drought in wild barley is driven by adaphic natural selection at the Tabigha Evolution Slop. *Proceedings National Academy of Sciences USA* 115:5223-5228
- 422.**(1475)Anssi L., Vuorinen Ruslan Kalendar, Tzion Fahima, Helena Korpelainen, Eviatar Nevo and Alan Schulman. 2018. Retrotransposon-Based Genetic Diversity Assessment in Wild Emmer (*Triticum turgidum* ssp. *dicoccoides*).*Agronomy*, 2018, 8:107, 1-13; doi:10.3390/agronomy/8070107

September 2018